

Hi-Light-Salamander 600-2Z



- ▶ 3 heating elements
- Warm-holding function



- ▶ Height adjustable grille, 2 positions
- ✓ Telescopic handle

Description

Hi-Light Salamander 600 mm with two heating zones, 4.5 kW, height-adjustable heating element in two positions (125/175 mm). Pull-out handle, electronic energy regulation, Warm-keeping function, wall bracket including. For restaurants with variable top-grill and warm-keeping requirements.

Features

• Heat source:	Infrared radiator
• Number of heating elements:	3
• Number of heating zones:	2
• Heating zones can be controlled separately:	Yes
• Height-adjustable heating element:	No
• Clear height:	125 - 175 mm
• Size grid:	B 572 x D 358 mm
• Height-adjustable grid:	Yes
• Warm-keeping function:	Yes
• Automatic activation function:	No
• Manual time setting:	Yes
• Grease collection tank:	Yes
• Energy regulation:	Electronic
• Digital display:	Yes
• Equipment connection:	3 NAC
• Control unit:	Toggle Electronic

▶ Continue on the next page

Hi-Light-Salamander 600-2Z

- Control lamp: ON/OFF
- Properties: Retractable handle
Clear dimension between the grille and heating element: 125 mm / 175 mm
Can be set in 2 positions
- Including: 1 grid
1 bracket for wall attachment
- Power load: 4.5 kW | 380-400 V | 50/60 Hz
- Material: Stainless steel
- Important information: -
- Size: W 590 x D 550 x H 515 mm
- Weight: 40.2 kg




Hi-Light-Salamander 600-2Z

Add on Products

Wall-mounting shelf 600x600mm, SS

CNS
18/10

50 kg



- Size utility space: W 600 x D 600 mm
- Load-bearing capacity max.: 50 kg
- Material: CNS 18/10
- Important information: -
- Size: W 600 x D 600 x H 155 mm
- Weight: 5.4 kg

Code-No. 174600
GTIN 4015613434988