

Dough kneading machine Easy 18/30 ARSK



- ▶ Mixing bowl volume: 30 litres
- ▶ Dough quantity max.: 18 kg
- ▶ Suitable for firm doughs (e.g. pizza or bread dough)



- ▶ Speed control: 1 level
- ▶ Timer

Description

With a maximum dough volume of 18 kg, this dough kneading machine is ideal for larger requirements and delivers powerful, even results. The swivelling head and removable mixing bowl make it easy to work with - from simple removal to quick cleaning. Whether controlled manually or by Timer: the machine adapts flexibly to the processes in the kitchen or bakery.



- ▶ Mixing bowl material: CNS 18/10
- ▶ Material dough hook: CNS 18/10

Features

• Time adjustment:	0 to 60 minutes
• Colour:	White
• Material mixing bowl(s):	CNS 18/10
• Material dough hook:	CNS 18/10
• Mixing bowl volume:	30 litre(s)
• Max. dough quantity:	18 kg
• Speed control:	1 level
• Mixing bowl detachable:	Yes
• Swivel head:	Yes
• Digital display:	No
• Safety switch:	Yes
• Motor protection:	Yes
• Timer:	Yes
• ON/OFF switch:	Yes
• Properties:	Suitable for firm dough (e.g. pizza or bread dough) Bowl recognition via sensor Can be used in continuous mode or with time setting



- ▶ Easy dough removal and cleaning:
 - ✓ With swivelling head
 - ✓ Removable mixing bowl

▶ Continue on the next page



Dough kneading machine Easy 18/30 ARSK

- Power load: 1.5 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Including: -
- Material: Steel, coated
- Important information: -
- Size: W 420 x D 780 x H 720 mm
- Weight: 128.2 kg



Dough kneading machine Easy 18/30 ARSK

Add on Products


Dough container 600x400



- Bakery norm: 600 x 400 mm
- Food-safe: Yes
- Stackable: Yes
- Dishwasher-suitable: Yes
- Heat resistant: -20 °C to 90 °C
- Properties: Rounded edges
- Material: Plastic

Code-No. 500555
GTIN 4015613863696

Wheel set Easy TKM



- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 100 mm
- Load-bearing capacity max., each: 100 kg
- Material: Steel
Rubber

Code-No. 101844
GTIN 4015613872605