

Front cooking station KST3240 Plus



Description

Optimised mobile cooking station for a professional look in the front cooking field. From an induction cooker with 230V through to a solid griddle plate of the series 650 with 400V – With up to 3 tabletop units extremely flexible in the catering, event and front-cooking fields.

Features

- Designed for: 2-3 table-top units
- With glass top: Yes
- Size glass superstructure: W 1475 x D 740 x H 345 mm
- Equipped with: 4 GN containers 1/9 GN, 100 mm deep for oils, sauces, cooking cutlery
Storage compartment below the setting niches, dimensions: W 1,200 x D 600 x H 150 mm
Integrated electrical fuse
Integrated ventilation with flame protection filter
Type A
- Flame protection filter: 1
- Number of niches: W 1,208 x D 600 mm
- Dimensions of niche utility space: Activated carbon filter
- Filter type: Wire mesh filter
Flame protection filter
Zeolit-filter
- Number of filters: 3
- Material filter: Stainless steel

▶ Continue on the next page



- ▶ 1 placement niche
- ✓ Work surface: W 1208 x D 600 mm
- ✓ Designed for max.: 3 tabletop devices



- ▶ 5 sockets
- ✓ 3 x 230 V
- ✓ 2 x 400 V 16A CEE



- ▶ Integrated ventilation
- ✓ With stainless steel flame protection filter
- ✓ Switchable in 4 levels



- ▶ 4 GN containers
- ✓ 1/9 GN, 100 mm deep

Front cooking station KST3240 Plus

- Fan regulation: 4-level
- Lighting: LED
- Swivel casters: On the germ guard
- ON/OFF switch: 4 swivel casters, 2 with brake
- Control lamp: Yes
- Not included in delivery: ON/OFF
- Connection cable
- Electrical appliances
- Platforms
- Side work surfaces
-
- Including: 3 x 230 V, 2 x 400 V 16A CEE
- Plug design: 3 NAC
- Equipment connection: 24 kW | 400 V | 50 Hz
- Power load: CNS 18/10
- Material: The connection cable must be attached by a specialist at the site
- Important information: W 1,520 x D 770 x H 1,265 mm
- Size: 146 kg
- Weight:



Front cooking station KST3240 Plus

Add on Products

Induction wok IW35



STAINLESS
STEEL

kW
3,5



- Temperature range: 60 °C to 240 °C
- Time adjustment: 1 to 180 minutes
- Intervals time setting: 1 minute(s)
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Type of hobs: Induction
- Output hob(s) max.: 3.5 kW

Code-No. 105986
GTIN 4015613680217

Cerane stove 600, 2 plates, TU



CNS
18/10



- Material hob: Glass
- Equipment connection: 3 NAC
- Power load: 4.3 kW | 400 V | 50/60 Hz
- Series: 600
- Type of hobs: Glass ceramic
- Number of hobs: 2
- Distribution of hobs: 1 x 2,5 kW, 1 x 1,8 kW

Code-No. 131800
GTIN 4015613418193

Lid 1/9 GN, Basic Line

CNS



- Spoon recess: No
- Silicone seal: No
- Surface: Silk matt
- Series: Basic Line
- Norm: EN 631
- Gastronorm: 1/9 GN
- Material: Chrome-nickel steel

Code-No. 711319
GTIN 4015613695990

Induction cooker IK 35TCS



STAINLESS
STEEL

kW
3,5



- Intervals time setting: 1 minute / 10 minutes
- Time adjustment: 0 to 180 minutes
- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Output hob(s) max.: 3500 W
- Diameter hob(s): 228 mm

Code-No. 1058435
GTIN 4015613638300

Front cooking station KST3240 Plus

Add on Products

GN-container, 1/9GN,D100, Basic Line

CNS



- Content: 1 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: Silk matt
- Depth container: 100 mm

Code-No. 719100
GTIN 4015613695914

Induction stove ITH 35-265



STAINLESS
STEEL

kW
3,5



- Output hob(s) max.: 3500 W
- Diameter hob(s): 265 mm
- Colour: Silver
- Type of hobs: Black
- Material hob: Induction
- Number of hobs: Glass ceramic
- Number of hobs: 1

Code-No. 105994
GTIN 4015613712680

Griddle plate GDP 320E-R



CNS
18/10



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Control lamp: Operational
- Series: GDP
- Type: Table-top unit
- Operating mode: Electro
- Material roasting surface: Steel

Code-No. 370035
GTIN 4015613610894

Zeolite filter KST Plus



- Material: Zeolite
- Important information: There are 2 zeolite filters in the KST2200 Plus cooking station
There are 3 zeolite filters in the KST3240 Plus cooking station
- Size: W 462 x D 380 x H 16 mm
- Weight: 3.6 kg

Code-No. 107274
GTIN 4015613692326

Front cooking station KST3240 Plus


Add on Products

Induction wok 35/293



STAINLESS
STEEL

kW
3,5



- Type of hobs: Induction
- Output hob(s) max.: 3.5 kW
- Load capacity per hob: 35 kg
- Material hob: EuroKera glass ceramic
- Diameter hob: 293 mm
- Number of output levels: 20

Code-No. 105872
GTIN 4015613712642

Bain Marie 600, W400, TU



CNS
18/10



- Protection class: IPX4
- Power load: 1.4 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Series: 600
- Operating mode: Electro
- Number of tanks: 1

Code-No. 131760
GTIN 4015613310084

Neutral element 650, W400, TGOK



- Type: Table-top unit
- Series: 650 Snack
- Material: CNS 18/10
- Important information: Device without chimney - only suitable for use in the cooking station KST3240 Plus
- Size: W 400 x D 595 x H 330 mm
- Weight: 10.9 kg

Code-No. 115117
GTIN 4015613697598

Side table KST Plus

CNS
18/10



- Including: Attachment material
- Assembly side: Left
Right
- Material: CNS 18/10
- Important information: -
- Size: W 700 x D 350 x H 80 mm
- Weight: 4.4 kg

Code-No. 107279
GTIN 4015613695341

Front cooking station KST3240 Plus

Add on Products

Electric Bain Marie



CNS
18/10



- Protection class: IPX4
- Power load: 2.8 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Type: Table-top unit
- Series: 600
- Operating mode: Electro
- Number of tanks: 1

Code-No. 131770
GTIN 4015613310091

Induction cooker IK 30TCS-1



STAINLESS
STEEL

kW
3,0



- Intervals time setting: 1 minute / 10 minutes
- Time adjustment: 1 to 180 minutes
- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Output hob(s) max.: 3000 W
- Diameter hob(s): 230 mm

Code-No. 105991S
GTIN 4015613714882

Platform 100 KST Plus

CNS
18/10



- Material: CNS 18/10
- Important information: Designed for KST Plus / KST Eco cooking stations
- Size: W 400 x D 595 x H 100 mm
- Weight: 3.1 kg

Code-No. 107276
GTIN 4015613682549

Cerane stove 600, 4 HTzones, TU



CNS
18/10



- Material hob: Glass
- Equipment connection: 3 NAC
- Power load: 8 kW | 400 V | 50/60 Hz
- Series: 600
- Type of hobs: Glass ceramic
- Number of hobs: 4
- Distribution of hobs: 2 x 2,5 kW, 1 x 1,8 kW, 1 x 1,2 kW

Code-No. 131850
GTIN 4015613418209

Front cooking station KST3240 Plus

Add on Products

Multi-fryer 300



STAINLESS
STEEL



- Type: Table-top unit
- Protection class: IP24
- Power load: 3 kW | 230 V | 50-60 Hz
- Grease release tap: Yes
- Grease collection tank: No
- Equipment connection: Pluggable
- Temperature range: 50 °C to 300 °C

Code-No. 370205
GTIN 4015613653488

Induction wok 30/293



STAINLESS
STEEL

kW
3,0



- Type of hobs: Induction
- Output hob(s) max.: 3 kW
- Load capacity per hob: 35 kg
- Material hob: EuroKera glass ceramic
- Diameter hob: 293 mm
- Number of output levels: 20

Code-No. 105871
GTIN 4015613712635

Platform 200 KST Plus

CNS
18/10



- Material: CNS 18/10
- Important information: -
- Size: W 400 x D 595 x H 200 mm
- Weight: 7.4 kg

Code-No. 107277
GTIN 4015613684659

Electric cooker 600 2PLTG



CNS
18/10



- Material hob: Cast iron
- Power load: 4 kW | 400 V | 50 Hz
- Equipment connection: 2 NAC
- Series: 600
- Type of hobs: Speed- hotplates
- Number of hobs: 2
- Distribution of hobs: 2 x 2 kW

Code-No. 131723
GTIN 4015613690094

Front cooking station KST3240 Plus

Add on Products

Induction cooker IK 35SK 3,5kW



STAINLESS
STEEL

kW
3,5



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Output hob(s) max.: 3500 W
- Diameter hob(s): 228 mm
- Colour: Silver
Black

Code-No. 105837
GTIN 4015613520643

Lid 1/9GN

CNS
18/10



- Spoon recess: No
- Silicone seal: No
- Surface: High-gloss
- Series: Top Line
- Norm: EN 631
- Gastronorm: 1/9 GN
- Material: CNS 18/10

Code-No. A120649
GTIN 4016098169204

Oil and grease remover F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Wipe-off work surfaces, stainless steel surfaces
Tiled walls and floors
Highly effective against deposits in coffee cans
Machines, appliances
- Content: 6 x 1 litre
- Model: Liquid

Code-No. 173276
GTIN 4015613773339

Induction cooker IK 35TC



STAINLESS
STEEL

kW
3,5



- Intervals time setting: 1 minute / 10 minutes
- Time adjustment: 0 to 180 minutes
- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Output hob(s) max.: 3500 W
- Diameter hob(s): 228 mm

Code-No. 105843
GTIN 4015613633329

Front cooking station KST3240 Plus

Add on Products

GN container, 1/9 GN, D100

CNS
18/10



- Content: 1 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A129100
GTIN 4016098169198

Induction wok IW 35 PRO-2



STAINLESS
STEEL

kW
3,5



- Temperature range: 60 °C to 240 °C
- Time adjustment: 1 to 180 minutes
- Intervals time setting: 1 minute(s)
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Type of hobs: Induction
- Output hob(s) max.: 3.5 kW

Code-No. 105732
GTIN 4015613706498

Griddle plate GDP 320E-G




CNS
18/10



- Power load: 3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Control lamp: Operational
- Series: GDP
- Type: Table-top unit
- Operating mode: Electro
- Material roasting surface: Steel

Code-No. A370031
GTIN 4015613370545

Active carbon filter mat KST3240 Plus



- Material: Activated carbon
- Important information: One active carbon filter mat is contained in the cooking station KST3240 Plus
- Size: W 1,120 x D 445 x H 10 mm
- Weight: 0.21 kg

Code-No. 107273
GTIN 4015613681634

Front cooking station KST3240 Plus

Add on Products

Countertop electric hob 1K3000 GL



- Power load: 3 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic Toggle
- Number of hobs: 1
- Type of hobs: Electro
- Size cerane surface: W 350 x D 350 mm

Code-No. 104906
GTIN 4015613432540

Griddle plate 600, B400, smooth



CNS 18/10



- Power load: 3.6 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Control lamp: Heat up Operational
- Series: 600
- Type: Table-top unit
- Operating mode: Electro

Code-No. 132115
GTIN 4015613547572

Electric range 650, B400, 2PL, TGOK



- Power load: 4.1 kW | 400 V | 50/60 Hz
- Equipment connection: 3 NAC
- Series: 650 Snack
- Type of hobs: Electro
- Number of hobs: 2
- Distribution of hobs: 1 x 2,6 kW, 1 x 1,5 kW
- Size hobs: 1 x Ø 220 mm, 1 x Ø 180 mm

Code-No. 115006
GTIN 4015613697550

Tray slide KST3240 Plus

CNS 18/10



- Including: Attachment material
- Material: CNS 18/10
- Important information: -
- Size: W 1,490 x D 345 x H 130 mm
- Weight: 4.4 kg

Code-No. 107278
GTIN 4015613695334

Front cooking station KST3240 Plus

Add on Products

Griddle plate 600, B600, smooth,HCP



CNS
18/10



- Heating zones can be controlled separately: Yes
- Power load: 7.2 kW | 400 V | 50 Hz
- Equipment connection: 3 NAC
- Control lamp: Heat up
Operational
- Series: 600

Code-No. 132125
GTIN 4015613547589

Induction cooker IK 30TC-1



STAINLESS
STEEL

kW
3,0



- Intervals time setting: 1 minute / 10 minutes
- Time adjustment: 1 to 180 minutes
- Timer: Yes
- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Output hob(s) max.: 3000 W

Code-No. 105991
GTIN 4015613698946

Electric stove 600, W600, 4PL, TU



CNS
18/10



- Material hob: Cast iron
- Power load: 8 kW | 400 V | 50 Hz
- Equipment connection: 3 NAC
- Series: 600
- Type of hobs: Speed- hotplates
- Number of hobs: 4
- Distribution of hobs: 4 x 2 kW

Code-No. 131734
GTIN 4015613310008