

Dishwasher GS C350 LPR



- ▶ Basket dimensions: 350 x 350 mm
 - ▶ Max. glass height: 260 mm
-
- ▶ Output/h: 30 baskets
 - ▶ Cycle time: 120 seconds
 - ▶ Dishwasher including:
 - ✓ Rinse aid dosing pump
 - ✓ Discharge pump
 - ✓ Detergent dosing pump
 - ▶ Easy to use
 - ▶ We recommend a warm water connection up to 60°C
 - ▶ Cleaning cups, saucers, glasses and mugs, also in bar areas

Description

This floor-standing dishwasher is easy to use and concentrates on what really matters – cleanliness and reliability in a compact form.

Features

• Glasses height max.:	260 mm
• Door double-walled:	Yes
• Can be fitted below the counter:	Yes
• Basket dimensions:	350 x 350 mm
• Run-time:	120 seconds
• Output / hour max.:	30 baskets
• Number of wash programs:	1
• Tank volume:	12 litre(s)
• Water consumption at 2 bar:	1.4 litres / wash cycle
• Water pressure:	2 - 4 bar
• Water supply:	3/4"
• Water outlet:	Ø 20 mm
• Tank heater:	1.25 kW
• Boiler heater:	2.4 kW
• Lye pump:	Yes
• Cleaning agent dosing pump:	Yes
• Water softener:	No

▶ Continue on the next page

Dishwasher GS C350 LPR

• Clear rinsing dosing pump:	Yes
• Cold rinsing:	No
• Self-cleaning:	No
• Double-walled:	Yes
• Dry-run protection:	Yes
• Safety thermostat:	Yes
• Door contact switch:	Yes
• ON/OFF switch:	Yes
• Control lamp:	yes
• Display:	-
• Water intake temperature:	5 °C to 60 °C
• Including:	1 cutlery holder 2 universal baskets 1 saucer insert 1 water supply hose 1 water outlet hose
• Equipment connection:	Pluggable
• Power load:	2.59 kW 230 V 50 Hz
• Material:	Stainless steel
• Size:	W 415 x D 485 x H 675 mm
• Weight:	31.2 kg



Dishwasher GS C350 LPR

Add on Products

Water softening system WEH1500



- Water intake temperature from: 1 °C
- Water intake temperature to: 30 °C
- Setting possibilities:
 - Interval
 - Regeneration
 - Time
 - Water hardness
 - Day of the week

Code-No. 109901
GTIN 4015613800974

Detergent metering pump LWG600



- Conductimetry with: 2-pin probe
- Colour: Grey
- Design: Wall-mounting
- Volume flow: 0.1 L / hour to 6 L /hour
- Cleaning agent dosing: Setpoint controlled
- Including: 1 connection set
- Power load: 0.004 kW | 230 V | 50/60 Hz

Code-No. 109547
GTIN 4015613506517

Water softening system WEH1600



- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Setting possibilities:
 - Brine dosing
 - Time
 - Time-based regeneration
- Regeneration: Time period
- Operating pressure: 3 - 6 bar

Code-No. 109952
GTIN 4015613797762

Universal basket 350x350x170



- Inside height: 143 mm
- Stackable: No
- Basket size: 350 x 350 mm
- Number of shelves: 1
- Colour: White
- Design: Flat

Code-No. 110311
GTIN 4015613586564

Dishwasher GS C350 LPR

Add on Products


Cutlery cylinder for dishwashers



- Colour: Grey
- Material: Plastic
- Important information: -
- Size: W 107 x D 107 x H 119 mm
- Weight: 0.1 kg

Code-No. 110318
GTIN 4015613432021

Universal basket 350x350x110



- Inside height: 103 mm
- Stackable: Yes
- Basket size: 350 x 350 mm
- Number of shelves: 1
- Colour: Grey
- Design: Flat

Code-No. 110312
GTIN 4015613432007

Full desalination system VK 5000 FB



- Desalination type: Full desalination
- Sampling tap: Yes
- Deposit per cartridge: 290 €
- Water connection: 3/4"
- Colour: Blue
- Connection capacity: 1 unit

Code-No. 109877
GTIN 4015613681580

Rinsing agent F10L




- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
Household dishwashers
Combi steamer with rinsing program
- Content: 10 litres
- Model: Liquid
- Ph level: 2

Code-No. 173272
GTIN 4015613767901

Dishwasher GS C350 LPR

Add on Products

Insert for saucers f. dishw.basket



- Number of shelves: 14
- Material: Steel
Coated
- Important information: -
- Size: W 300 x D 100 x H 90 mm
- Weight: 0.2 kg

Code-No. 110317
GTIN 4015613432014

Glass polisher



STAINLESS
STEEL



- Number of polishing heads: 5
- Power load: 1.1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
- ON/OFF switch: Yes
- Control lamp: -
- Properties: Microfibre polishing scarves detachable
- Including: -

Code-No. 109470
GTIN 4015613455624