

Dishwasher GS M400 LPR K



- ▶ Basket dimensions: 400 x 400 mm
- ▶ Max. glass height: 305 mm



- ▶ Output/h: 60 baskets
- ▶ Cycle time: 60 / 90 / 120 / 180 seconds

- ▶ Dishwasher including:
 - ✓ Rinse aid dosing pump
 - ✓ Discharge pump
 - ✓ Detergent dosing pump
 - ✓ Cold rinse

Description

Thanks to this flexible glass washer with cold rinse function, glasses in particular are ready for reuse really quickly. It's also perfect for use for other washing areas in cafeterias, bars and cafes. The small display means that you can keep an eye on the settings and program progress at all times.

Features

• Glasses height max.:	305 mm
• Door double-walled:	Yes
• Can be fitted below the counter:	Yes
• Basket dimensions:	400 x 400 mm
• Run-time:	60 / 90 / 120 / 180 seconds
• Output / hour max.:	60 baskets
• Number of wash programs:	4
• Tank volume:	14.5 litre(s)
• Water consumption at 2 bar:	1.8 litres / wash cycle
• Water pressure:	2 - 4 bar
• Water supply:	3/4"
• Water outlet:	Ø 20 mm
• Tank heater:	1.25 kW
• Boiler heater:	2.8 kW
• Lye pump:	Yes
• Cleaning agent dosing pump:	Yes
• Water softener:	No



- ▶ Direct overview of all settings and wash program progress thanks to small display
- ▶ We recommend a warm water connection up to 60°C
- ▶ Flexible washing with 4 different wash programs
- ▶ Washed items can be reused quickly thanks to cold rinse

▶ Continue on the next page

Dishwasher GS M400 LPR K

- Clear rinsing dosing pump: Yes
- Cold rinsing: Yes
- Self-cleaning: No
- Double-walled: No
- Dry-run protection: Yes
- Safety thermostat: Yes
- Door contact switch: Yes
- ON/OFF switch: Yes
- Control lamp: yes
- Display: yes
- Water intake temperature: 5 °C to 60 °C
- Including:
 - 1 cutlery holder
 - 2 universal baskets
 - 1 saucer insert
 - 1 water supply hose
 - 1 water outlet hose
- Equipment connection: Pluggable
- Power load: 3.2 kW | 230 V | 50 Hz
- Material: Stainless steel
- Size: W 450 x D 560 x H 696 mm
- Weight: 34.2 kg



Dishwasher GS M400 LPR K

Add on Products

Dishwasher cleaner F10LXTRA



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: No

Code-No. 173271
GTIN 4015613767895

Dishwasher cleaner F10L



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: Yes

Code-No. 173270
GTIN 4015613773315

Universal basket 400x400x135



- Inside height: 107 mm
- Stackable: Yes
- Basket size: 400 x 400 mm
- Number of shelves: 1
- Colour: Grey
- Design: Flat

Code-No. 109325
GTIN 4015613468303

Basket for glasses 400x400x185



- Inside height: 150 mm
- Stackable: No
- Basket size: 400 x 400 mm
- Number of shelves: 4
- Colour: White
- Design: Tilted

Code-No. 109327
GTIN 4015613468327

Dishwasher GS M400 LPR K

Add on Products

Plates basket 400x400x120



- Inside height: 52 mm
- Stackable: No
- Basket size: 400 x 400 mm
- Number of shelves: 16
- Colour: White
- Design: Plate holders
- Suitable for: Plates

Code-No. 109326
GTIN 4015613468310

Cutlery cylinder for dishwashers



- Colour: Grey
- Material: Plastic
- Important information: -
- Size: W 107 x D 107 x H 119 mm
- Weight: 0.1 kg

Code-No. 110318
GTIN 4015613432021

Full desalination system VK 500 FB



- Desalination type: Full desalination
- Sampling tap: Yes
- Deposit per cartridge: 290 €
- Water connection: 3/4"
- Colour: Blue
- Connection capacity: 1 unit

Code-No. 109877
GTIN 4015613681580

Glass polisher



- Number of polishing heads: 5
- Power load: 1.1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
- ON/OFF switch: Yes
- Control lamp: -
- Properties: Microfibre polishing scarves detachable
- Including: -

Code-No. 109470
GTIN 4015613455624

Dishwasher GS M400 LPR K

Add on Products

Rinsing agent F10L



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
Household dishwashers
Combi steamer with rinsing program
- Content: 10 litres
- Model: Liquid
- Ph level: 2

Code-No. 173272
GTIN 4015613767901

Water softening system WEH1600



- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Setting possibilities: Brine dosing
Time
Time-based regeneration
- Regeneration: Time period
- Operating pressure: 3 - 6 bar

Code-No. 109952
GTIN 4015613797762

Water softening system WEH1500



- Water intake temperature from: 1 °C
- Water intake temperature to: 30 °C
- Setting possibilities: Interval
Regeneration
Time
Water hardness
Day of the week

Code-No. 109901
GTIN 4015613800974