


Basket transport dishwasher KTS500 R



- ▶ Ready for cabinet in no time
 - ✓ Glasses height max.: 450 mm
 - ✓ Plates height max.: 450 mm
 - ✓ Tray size max: 530 x 325 mm
- ▶ Output / hour max.: 70 - 100 baskets
- ▶ Cycle time: 35 / 94 seconds



- ▶ Easy operation
- ▶ Double walled

Description

A reliable partner for high-intensity washing. The KTS500 with its left-running transport system is really easy to use and can be tailored to everyday needs. It can be used for washing plates, cups, glasses and trays.

Features

- | | |
|-------------------------------|--|
| • Model: | Transport system, stainless steel |
| • Basket dimensions: | Left-running appliance |
| • Glasses height max.: | 500 x 500 mm |
| • Plate height max.: | 450 mm |
| • Tray size max.: | 450 mm |
| • Run-time: | 530 x 325 x 25 mm |
| • Output / hour max.: | 35 / 94 seconds |
| • Number of wash programs: | 70 - 100 baskets |
| • Tank volume: | 2 |
| | Rinsing tank: 80 litres |
| | Boiler: 28,5 litres |
| • Water consumption at 2 bar: | 150 l/hour. |
| • Water pressure: | 2 - 5 bar |
| • Water supply: | 2 x G 3/4" |
| • Water outlet: | 1 x 1/4 G |
| • Water intake temperature: | 55 °C (Cold water connection on request) |
| • Tank heater: | 9 kW |



- ▶ Rinsing arm sets, can be removed without tools
- ▶ Water intake temperature: 55 °C
- ▶ Water pressure can be regulated
 - ✓ Water drainage adjustable via the nozzles of the rinsing arms

▶ Continue on the next page

Basket transport dishwasher KTS500 R

- Boiler heater: 9 kW
- Lye pump: No
- Cleaning agent dosing pump: No
- Water softener: No
- Clear rinsing dosing pump: No
- Cold rinsing: No
- Self-cleaning: No
- Fan: -
- Double-walled: No
- Door double-walled: Yes
- Dry-run protection: No
- Safety thermostat: Yes
- Door contact switch: Yes
- Height-adjustable feet: Yes
- Height adjustable: 1565 mm to 1635 mm
- Height when door is open: 1900 mm
- ON/OFF switch: Yes
- Control lamp: Heat up
In operation
- Properties: 3-stage filtration system
Simple operation
Easy removal of the filter
Electronic thermo-stop
Clear rinse in 2 stages
Multi-lingual control menu
Self-diagnosis system
Rinsing arm sets, can be removed without tools
Stand-by function
Tank filter system with 3 protection levels
Vertically mounted and self-cleaning wash pumps with overload protection
Heat recovery on request at water inlet temperature of 5-10 °C
- Required for correct operation: Pre-cleaning KTS5000 1BAS-R +discharge table KTS5000 TR-L
Hot water connection
Ensure sufficient ventilation of the room according to EN 16282-1
- Power load: 19 kW | 400 V | 50 Hz
- Equipment connection: 3 NAC
- Not included in delivery: Waste water hose
- Including: 1 cutlery holder
1 glasses basket
1 tray basket
1 plate basket
- Display: yes
- Material: Stainless steel
- Important information: -
- Size: W 1,380 x D 715 x H 1,900 mm
- Weight: 200 kg



Basket transport dishwasher KTS500 R

Add on Products

Discharge table KTS5000



- Height adjustable: 900 mm to 950 mm
- Model: 20 transport rollers, 1 with end switch-off (sensor)
- Water outlet: 1 1/2"
- Base shelf: No
- Splash protection: No
- Assembly side on dishwasher: Left

Code-No. 110626
GTIN 4015613737720

Pre-clearing table KTS5000



- Height adjustable: 900 mm to 950 mm
- Beaker capacity: 50 litre(s)
- Size basin: W 500 x D 400 x H 250 mm
- Position sink: Left
- Water outlet: 1 1/2"
- Base shelf: Yes
- Splash protection: yes

Code-No. 110625
GTIN 4015613737713

Plates basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Fingers
- Suitable for: Trays, Plates

Code-No. 5303
GTIN 4015613653976

Universal basket 500x500x100



- Inside height: 84 mm
- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat

Code-No. 5301
GTIN 4015613653952

Basket transport dishwasher KTS500 R

Add on Products

Water softening system WEH1500



- Water intake temperature from: 1 °C
- Water intake temperature to: 30 °C
- Setting possibilities: Interval
Regeneration
Time
Water hardness
Day of the week

Code-No. 109901
GTIN 4015613800974

Dishwasher basket trolley ASP700



- Number of drawers: 7
- Distance between trays: 200 mm
- Format drawers: 505 x 545 mm
- Load-bearing capacity per drawer max.: 20 kg
- Can be loaded from both sides: Yes
- Designed for: Dishwasher baskets 500 x 500 mm

Code-No. 300147
GTIN 4015613709178

Dishwasher basket trolley TGS100



- Tilting: All-round
- Size Carrying capacity: W 513 x D 583 mm
- Model: With transport surface
- Application area: Transporting
Serving
- Total load-bearing capacity, max.: 120 kg
- With handle(s): Yes

Code-No. 300143
GTIN 4015613523712

Rinsing agent F10L



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
Household dishwashers
Combi steamer with rinsing program
- Content: 10 litres
- Model: Liquid
- Ph level: 2

Code-No. 173272
GTIN 4015613767901