

Pot dishwasher TS 665-1 R



Description

With its supplied universal basket and tray holder, the TS 665-1 R is ideal for cleaning bulky items. It gives optimum cleaning results for pots, pans, trays, bowls and dishes.

Features

• Height-adjustable feet:	Yes
• Height adjustable:	1890 mm to 1940 mm
• Door double-walled:	Yes
• Can be fitted below the counter:	No
• Tray size max.:	600 x 800 mm
• Height when door is open:	1890 - 2270 mm
• Tray size max.:	800 mm
• Basket dimensions:	665 x 550 mm
• Run-time:	120 / 240 / 360 / 480 seconds
• Output / hour max.:	40 baskets
• Number of wash programs:	4
• Tank volume:	50 litre(s)
• Water consumption at 2 bar:	4,2 litres / wash cycle
• Water pressure:	2 - 4 bar
• Water supply:	G 3/4"
• Water outlet:	Ø 32 mm
• Tank heater:	3 kW

► Continue on the next page



► Dishwasher with detergent dosing pump



► Double-walled door can be used as a work surface when open



► We recommend a warm water connection up to 55°C

► Flexible application areas due to 4 different cleaning programs.

Pot dishwasher TS 665-1 R

- Boiler heater: 6 kW
- Lye pump: No
- Cleaning agent dosing pump: Yes
- Water softener: No
- Clear rinsing dosing pump: Yes
- Cold rinsing: No
- Self-cleaning: Yes
- Double-walled: Yes
- Dry-run protection: Yes
- Safety thermostat: Yes
- Door contact switch: Yes
- ON/OFF switch: Yes
- Control lamp: yes
- Display: yes
- Properties: Double-walled door can be used as work surface
Electronic thermo-stop
Plus system (rinse pump, break tank, pressure-free boiler)
2 rinsing arms, each with 1 rinsing pump
Twin strainer (waste collector and pump strainer removable)
Washing tub deep-drawn, with levels
Easy removal of the filter
Vertical, self-cleaning pump strainer
Self-diagnosis system
Stand-by function
Multicoloured start button
Multi-lingual control menu
- Water intake temperature: 55 °C
- Including: 1 universal basket
1 tray basket
1 cutlery holder
1 rinsing grille
1 water outlet hose
1 water supply hose
- Equipment connection: 3 NAC
- Power load: 8 kW | 400 V | 50 Hz
- Material: Stainless steel
- Important information: -
- Size: W 690 x D 850 x H 1,755 mm
- Weight: 174.2 kg



Pot dishwasher TS 665-1 R

Add on Products

Rinsing agent F10L



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
Household dishwashers
Combi steamer with rinsing program
- Content: 10 litres
- Model: Liquid
- Ph level: 2

Code-No. 173272
GTIN 4015613767901

Dishwasher cleaner F10LXTRA



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: No

Code-No. 173271
GTIN 4015613767895

Universal basket TS 850 R


CNS
18/10



- Inside height: 125 mm
- Stackable: No
- Basket size: 850 x 725 mm
- Number of shelves: 1
- Colour: Silver
- Design: Flat

Code-No. 110694
GTIN 4015613743639

Tray GN110-S



- Colour: Black
- Norm format: 1/1 GN
- Worktop surface: Structured
- Dimensions surface: W 495 x D 290 mm
- Stackable: Yes
- Dishwasher safe: Yes
- Properties: -

Code-No. 701053
GTIN 4015613695303

Pot dishwasher TS 665-1 R

Add on Products

Dishwasher cleaner F10L



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: Yes

Code-No. 173270
GTIN 4015613773315

Full desalination system VK 500 FB



- Desalination type: Full desalination
- Sampling tap: Yes
- Deposit per cartridge: 290 €
- Water connection: 3/4"
- Colour: Blue
- Connection capacity: 1 unit

Code-No. 109877
GTIN 4015613681580

Tray KN45350-HG



- Colour: Light grey
- Norm format: Canteen norm
- Worktop surface: Structured
- Dimensions surface: W 415 x D 315 mm
- Stackable: Yes
- Dishwasher safe: Yes
- Properties: -

Code-No. 701054
GTIN 4015613695310