

Refrigerated counter S2T1-150



- ▶ Constant, even refrigeration temperature inside
 - ✓ Cooling: Circulating air
 - ✓ Temperature control in 0.1°C steps
- ▶ One door
 - ✓ Standard format cupboard: 1/1 GN
 - ✓ Height of shelf can be adjusted
- ▶ Two drawers
 - ✓ Refrigerated
 - ✓ Gastronorm: 1/1 GN
 - ✓ Max. depth of GN containers: 150 mm

Description

One appliance, two uses: The convection cooling ensures a constant, even refrigeration temperature inside this single-door, two-drawer refrigerated counter. Thanks to its high-quality and robust stainless steel surface, the appliance can be integrated perfectly into any kitchen and can also be used as a work surface.

Features

• Number of cupboards:	1
• Cupboards refrigerated:	Yes
• Size Cupboard:	W 335 x D 570 x H 554 mm
• Norm-format cabinets:	1/1 GN
• Number of drawers:	1
• Distance between trays:	70 mm
• Height-adjustable drawers:	Yes
• Type of door:	Leaf door(s)
• Number of doors:	1
• Door hinge side:	Left
• Door hinge side can be changed:	Yes
• Number of drawers:	2
• Drawers refrigerated:	Yes
• Width drawer:	299 mm
• Depth drawer:	572 mm
• Height drawer:	190 mm
• Norm-format drawers:	1/1 GN

▶ Continue on the next page

Refrigerated counter S2T1-150

• Material work surface:	CNS 18/10
• Tilting:	-
• Temperature range:	0 °C to 10 °C
• Temperature control:	Electronic In 0.1 °C steps
• Type of cooling device:	Commercial refrigerated counter
• Design:	Horizontal
• Cooling:	Circulating air
• GWP:	3
• Coolant:	R600a / 0,064 kg
• Climate class:	4 This appliance is intended for use in ambient temperatures up to 30 °C.
• EEI:	45.16
• Energy efficiency class:	C (EU No. 2015 / 1094)
• Energy consumption kWh / 24 h:	2.62
• Energy consumption kWh / an:	956
• Drip water evaporation:	Yes
• Control unit:	Electronic Knob
• Thermostat:	Yes
• Digital display:	Yes
• Control lamp:	ON/OFF
• ON/OFF switch:	Yes
• Depth GN container max.:	150 mm
• Swivel casters:	No
• Height-adjustable feet:	Yes
• Height adjustable:	850 mm to 900 mm
• Including:	1 grid (W 325 x D 530 x H 10 mm)
• Available on request:	Refrigerated counter with glass-doors Refrigerated counter with swivel castors
• Power load:	0.35 kW 230 V 50 Hz
• Material:	CNS 18/10
• Important information:	-
• Size:	W 1,345 x D 700 x H 850 mm
• Weight:	104 kg



Refrigerated counter S2T1-150

Add on Products

Oil and grease remover F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Wipe-off work surfaces, stainless steel surfaces
Tiled walls and floors
Highly effective against deposits in coffee cans
Machines, appliances
- Content: 6 x 1 litre
- Model: Liquid

Code-No. 173276
GTIN 4015613773339