

Refrigerated counter Easy S4T1-1501



Description

The refrigerated counter with 1 door and 4 drawers ensures an even and constant cooling temperature throughout the entire interior thanks to the convection cooling system. The robust stainless steel surface blends seamlessly into any kitchen and can also be used as a practical work surface. Thanks to Climate class 5, this refrigerated cabinet is also suitable for particularly warm environments.

Features

• Number of cupboards:	1
• Cupboards refrigerated:	Yes
• Size Cupboard:	W 335 x D 570 x H 565 mm
• Norm-format cabinets:	1/1 GN
• Number of drawers:	1
• Distance between trays:	55 mm
• Height-adjustable drawers:	Yes
• Load-bearing capacity per drawer max.:	30 kg
• Type of door:	Leaf door(s)
• Number of doors:	1
• Door hinge side:	Right
• Door hinge side can be changed:	No
• Number of drawers:	4
• Drawers refrigerated:	Yes
• Width drawer:	300 mm
• Depth drawer:	530 mm
• Height drawer:	160 mm

► Continue on the next page



- Constant and uniform cooling temperature in the interior
- ✓ Cooling: circulating air
- ✓ Temperature control in 0.1°C steps
- ✓ Climate class: 5



- 1 Door
- ✓ Norm-format cabinets: 1/1 GN
- ✓ Height-adjustable drawers



- Two drawers
- ✓ Refrigerated
- ✓ Gastronorm: 1/1 GN
- ✓ Max. depth of GN containers: 150 mm



- 4 drawers
- ✓ Cooled
- ✓ Gastronorm: 1/1 GN
- ✓ Depth GN container max.: 150 mm

Refrigerated counter Easy S4T1-1501

- Norm-format drawers: 1/1 GN
- Material work surface: Stainless steel
- Tilting: -
- Temperature range: 0 °C to 8 °C
- Temperature control: Electronic
In 1 °C steps
- Type of cooling device: Commercial refrigerated counter
- Design: Horizontal
- Cooling: Circulating air
- GWP: 3
- Coolant: R290 / 0,042 kg
- Climate class: 5
This appliance is intended for use in ambient temperatures up to 40 °C.
- EEI: 36.8
- Energy efficiency class: C (EU No. 2015 / 1094)
- Energy consumption kWh / 24 h: 2.53
- Energy consumption kWh / an: 923
- Drip water evaporation: Yes
- Control unit: Electronic
Knob
- Thermostat: Yes
- Digital display: Yes
- Control lamp: ON/OFF
- ON/OFF switch: Yes
- Depth GN container max.: 150 mm
- Swivel casters: 4 swivel casters, 2 with brake
- Height-adjustable feet: No
- Including: 1 grid (W 325 x D 530 x H 45 mm)
- Available on request: -
- Power load: 0.25 kW | 230 V | 50 Hz
- Material: Stainless steel
- Important information: -
- Size: W 1,800 x D 700 x H 850 mm
- Weight: 107.6 kg



Refrigerated counter Easy S4T1-1501

Add on Products

Oil and grease remover F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Wipe-off work surfaces, stainless steel surfaces
Tiled walls and floors
Highly effective against deposits in coffee cans
Machines, appliances
- Content: 6 x 1 litre
- Model: Liquid

Code-No. 173276
GTIN 4015613773339