


Dishwasher US P500 LPWR



- ▶ Output/h: Up to 60 baskets
- ▶ Cycle time: 60 / 90 / 120 / 180 seconds



- ▶ Soft start washing pump
- ▶ Detachable rinsing nozzles
- ▶ Narrow mesh stainless steel sieve

- ▶ Double-walled
- ▶ Can be fitted below the counter
- ▶ We recommend a hot water connection.

Description

4 wash programs, removable rinsing nozzles, a double-walled design, a narrow mesh stainless steel sieve, and a gentle startup thanks to a soft-start washing pump – features that make this dishwasher, which can also be installed under a work surface, truly impressive.



Features

• Plate height max.:	340 mm
• Glasses height max.:	325 mm
• Door double-walled:	Yes
• Can be fitted below the counter:	Yes
• Basket dimensions:	500 x 500 mm
• Run-time:	60 / 90 / 120 / 180 seconds
• Output / hour max.:	60 baskets
• Number of wash programs:	4
• Tank volume:	16.5 litre(s)
• Water consumption at 2 bar:	2.3 litres / wash cycle
• Water pressure:	2 - 4 bar
• Water supply:	G 3/4" M
• Water outlet:	Ø 24 mm
• Tank heater:	2.7 kW
• Boiler heater:	4.5 kW
• Lye pump:	Yes
• Cleaning agent dosing pump:	Yes

▶ Continue on the next page

Dishwasher US P500 LPWR

• Water softener:	Yes
• Clear rinsing dosing pump:	Yes
• Cold rinsing:	No
• Self-cleaning:	Yes
• Double-walled:	Yes
• Dry-run protection:	Yes
• Safety thermostat:	Yes
• Door contact switch:	Yes
• ON/OFF switch:	Yes
• Control lamp:	-
• Display:	Boiler temperature Programme code
• Properties:	Narrow mesh stainless steel sieve Soft-start washing pump Removable rinsing nozzles
• Water intake temperature:	55 °C
• Including:	1 universal basket 1 plate basket 1 cutlery holder 1 supply hose 1 drainage hose 1 filling funnel for salt
• Equipment connection:	3 NAC
• Power load:	5.15 kW 400 V 50 Hz
• Material:	CNS 18/10
• Important information:	We recommend a warm water connection
• Size:	W 600 x D 640 x H 850 mm
• Weight:	68 kg



Dishwasher US P500 LPWR

Add on Products


Basket for glasses 500x500x205



- Inside height: 200 mm
- Stackable: No
- Basket size: 500 x 500 mm
- Number of shelves: 4
- Colour: White
- Design: Tilted

Code-No. 109331
GTIN 4015613854502

Reusable cup basket 500x500x235



- Compartment size: 90 x 90 mm
- Properties: Suitable for cups with a height of up to 190 mm
With removable lid
- Inside height: 190 mm
- Stackable: No
- Basket size: 500 x 500 mm

Code-No. 109330
GTIN 4015613836584

Water softening system WEH1350



- Water intake temperature from: 5 °C
- Water intake temperature to: 40 °C
- Setting possibilities: Interval
Regeneration
Language
Time
Water hardness

Code-No. 109889
GTIN 4015613615158

Water softening system WEH1600



- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Setting possibilities: Brine dosing
Time
Time-based regeneration
- Regeneration: Time period
- Operating pressure: 3 - 6 bar

Code-No. 109952
GTIN 4015613797762

Dishwasher US P500 LPWR

Add on Products

Dishwasher base

CNS



- Height adjustable: 440 mm to 490 mm
- Inside height: 360 mm
- Properties: Surface for rinsing baskets max. 500 x 500 mm
- Colour: Silver
- Base shelf: No
- Height-adjustable feet: Yes

Code-No. 109688
GTIN 4015613602462

Dishwasher cleaner F10LXTRA



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: No

Code-No. 173271
GTIN 4015613767895

Rinsing agent F10L



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
Household dishwashers
Combi steamer with rinsing program
- Content: 10 litres
- Model: Liquid
- Ph level: 2

Code-No. 173272
GTIN 4015613767901

Dishwasher basket trolley ASP700

STAINLESS
STEEL



100 kg



- Number of drawers: 7
- Distance between trays: 200 mm
- Format drawers: 505 x 545 mm
- Load-bearing capacity per drawer max.: 20 kg
- Can be loaded from both sides: Yes
- Designed for: Dishwasher baskets 500 x 500 mm

Code-No. 300147
GTIN 4015613709178

Dishwasher US P500 LPWR

Add on Products

Dishwasher cleaner F10L



- Order quantity unit: 1 canister
- Designed for: Commercial dishwashers
- Content: 10 litres
- Model: Liquid
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: Yes

Code-No. 173270
GTIN 4015613773315

Glass polisher



- Number of polishing heads: 5
- Power load: 1.1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
- ON/OFF switch: Yes
- Control lamp: -
- Properties: Microfibre polishing scarves detachable
- Including: -

Code-No. 109470
GTIN 4015613455624

Pressure booster pump set DSS10



- Power load: 0.15 kW | 230 V | 50 Hz
- Set comprises: 1 pump (W 100 x D 175 x H 110 mm, 1.5 A)
1 condenser (W 35 x D 120 x H 35 mm)
- 6.3 µF:
- Set comprises: 1 hose, rubber
Installation material

Code-No. 109562
GTIN 4015613721279