

Guiding rails 6040 SST2-5110



- ▶ 1 pair of bearing rails
- ✓ Suitable for 5 x 1/1 GN combi-steamers in the Silversteam2 series



- ▶ Number of shelves: 4
- ▶ Format of shelves: 600 x 400 mm
- ✓ Gap between shelves: 90 mm

Description

The perfect solution for the preparation of baked goods in 5 x 1/1 GN combi-steamers of the Silversteam2 series: This pair of bearing rails enables the use of wire racks and baking trays in standard 600 x 400 mm bakery format, offering an extra high shelf height of 90 mm.

Features

- | | |
|---------------------------|--|
| • Designed for: | 5 x 1/1 GN combi-steamers in the Silversteam2 series |
| • Format drawers: | 600 x 400 mm |
| • Distance between trays: | 90 mm |
| • Number of drawers: | 4 |
| • Material: | CNS 18/10 |
| • Important information: | - |
| • Size: | W 385 x D 38 x H 300 mm |
| • Weight: | 1.97 kg |

Guiding rails 6040 SST2-5110

Add on Products

Baking tray 600x400-AL



- Bakery norm: 600 x 400 mm
- Perforation: No
- Material thickness: 1.5 mm
- Edge: 3 sides
- Silicone coating: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100412
GTIN 4015613734699

Baking tray 600x400-ALB



- Bakery norm: 600 x 400 mm
- Perforation: No
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100439
GTIN 4015613863511


Perforated tray 600x400-ALB



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100438
GTIN 4015613863504

Grid 600x400, stainless steel



- Bakery norm: 600 x 400 mm
- Material: Stainless steel
- Important information: -
- Size: W 600 x D 400 x H 10 mm
- Weight: 1.4 kg

Code-No. 133264
GTIN 4015613638355

Guiding rails 6040 SST2-5110

Add on Products

Grease drip container 600 x 400



- Bakery norm: 600 x 400 mm
- Material: Stainless steel
- Important information: -
- Size: W 605 x D 405 x H 45 mm
- Weight: 2.8 kg

Code-No. 525782
GTIN 4015613658414

Perforated tray 600x400-SI



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 3 sides
- Silicone coating: Yes
- Temperature resistant to: 260 °C

Code-No. 100416
GTIN 4015613734712

Perforated tray 600x400-AL



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 3 sides
- Silicone coating: No
- Temperature resistant to: 260 °C

Code-No. 100413
GTIN 4015613734705