

Combi steamer Silversteam2 P-5230DRS



Description

More efficiency and time savings with the combi-steamer Silversteam2 P 5 x 2/3 GN thanks to even more power. Thanks to the high performance and rack control function, full cooking chambers are no problem at all. Reduced cooking times, faster heating up and the cleaning system speak for themselves.

Features

- Power load: 4.8 kW | 400 V | 50 Hz
- Equipment connection: 3 NAC
- Material cooking chamber: CNS 18/10
- Format drawers: 2/3 GN
- Type of drawers: Crosswise
- Number of drawers: 5
- Distance between trays: 74 mm
- Functions: Automatic 3-level cleaning system with drying program
Steam production by means of direct injection
Steam
Delta-T cooking
Combi-steaming
Low temperature cooking
Reversing motor direction (fan wheels)
Circulating air
Cooldown during cooking phase
Manual steaming

▶ Continue on the next page



- ▶ Combi Steamer Silversteam2 P
- ✓ High power
- ✓ Up to 5 x 2/3 GN



- ▶ Automatic 3-phase cleaning system with drying program



- ▶ Rack control
- ✓ To enable the selection of a program for each shelf

- ▶ Faster heating and reheating times
- ▶ Up to 30% reduction in cooking times
- ▶ Ideal for oven interiors used to full capacity



- ▶ Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program
- ▶ Cooldown during cooking phase

Combi steamer Silversteam2 P-5230DRS

- Cooking mode:
 - Manual
 - One-touch recipe selection
 - Recipe tuner
- Rack control:
 - Yes
- With cleaning system:
 - Yes
- Number of cooking programs:
 - 300 pre-installed programs
 - 300 configurable programs
- Number of cooking phases:
 - 9
- Temperature range:
 - 50 °C to 300 °C
- Temperature control:
 - In 1 °C steps
- Number of fans:
 - 1
- Fan speed:
 - 3 levels
- Time adjustment:
 - 0 to 5999 minutes
- Continuous operation:
 - Yes
- Core temperature sensor connection:
 - Front, bottom
- USB connection:
 - Front, bottom
- Vapour extractor:
 - Yes
- Water connection:
 - 3/4"
- Interior lighting:
 - Yes
- LED display:
 - Steaming
 - Delta-T cooking
 - Cooking phases
 - Core temperature
 - Fan speed
 - Program
 - Temperature
 - Time
 - Touch
- Control unit:
 -
- Control lamp:
 -
- Series:
 - Silversteam2
- Operating mode:
 - Electro
- Properties:
 - Rounded cooking chamber
 - Bearing rails can be detached
 - Double-winged door pane
 - LED lighting in door
 - Faster heating and reheating times
 - Up to 30 % reduction in cooking times
 - Ideal for cooking spaces used to full capacity
- Including:
 - 1 grid 2/3 GN
 - 1 tray 2/3 GN
 - 1 water supply hose
 - 1 supply hose for cleaning agents
- Available on request:
 -
- Material:
 - CNS 18/10
- Important information:
 - From a water hardness of 5° dH upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Size:
 - W 640 x D 775 x H 680 mm
- Weight:
 - 61.2 kg



Combi steamer Silversteam2 P-5230DRS

Add on Products

Combi steamer cleaner F10L



- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Content: 10 litres
- Model: Liquid
- Ph level: 13
- HACCP compliant: Yes

Code-No. 173279
GTIN 4015613767925

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Manual cleaning of heavily soiled surfaces
Grill, oven and combi steamer cleaning (without cleaning system)
Cookers, extractor hoods, tilting frying pans etc.
- Content: 6 x 1 litre

Code-No. 173278
GTIN 4015613773346

Perforated tray 2/3-SI



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: Yes
- Temperature resistant to: 260 °C

Code-No. 100425
GTIN 4015613734736

BBQ Gloves 425



Code-No. A500514
GTIN 4015613822433

Combi steamer Silversteam2 P-5230DRS

Add on Products

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511
GTIN 4015613735474

Combi steamer cleaner RS-5L



- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Content: 5 kg
- Model: Liquid
- Ph level: 14
- HACCP compliant: No

Code-No. 116299V
GTIN 4015613813042

Water filter system K3600L



- Water connection: 3/8"
- Water pressure: 3 bar
- Colour: White
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C

Code-No. 109847
GTIN 4015613743899

GN container, 2/3, D65

CNS
18/10



- Content: 5.5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A125065
GTIN 4015613271217

Combi steamer Silversteam2 P-5230DRS

Add on Products

GN container, 2/3, D65, perforated

CNS
18/10




- Content: 5.5 litre(s)
- Stackable: Yes
- Design: With perforation (holes)
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A103065
GTIN 4015613278940

GN grid 2/3

CNS
18/10



- Series: Top Line
- Norm: EN 631
- Gastronorm: 2/3 GN
- Material: CNS 18/10
- Important information: -
- Size: W 325 x D 355 x H 9 mm
- Weight: 0.74 kg

Code-No. 134091
GTIN 4015613890319

GN container, 2/3, D100

CNS
18/10




- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A125100
GTIN 4015613271224

GN tray 2/3

CNS
18/10



- Content: 2.3 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Surface: Silk matt
- Depth container: 20 mm

Code-No. A101195
GTIN 4015613271781

Combi steamer Silversteam2 P-5230DRS

Add on Products

Perforated tray 2/3-AL



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: No
- Temperature resistant to: 260 °C

Code-No. 100417
GTIN 4015613734729

Smoker-Box 1160



STAINLESS
STEEL



- Model: With heating coil
- Designed for: Combined steamer
- Comprising: Mains adapter
Smoker-Box
- Volume: 1.16 litre(s)
- Dimensions Smoker-Box: W 125 x D 470 x H 75 mm
- Suitable fuel: Standard smoker materials

Code-No. 117712
GTIN 4015613779195

GN-container, 2/3 GN,D20, Basic Line

CNS



- Content: 2.3 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 20 mm
- Series: Basic Line

Code-No. 723020
GTIN 4015613695624

GN-container, 2/3GN,D65, Basic Line

CNS



- Content: 5.5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 65 mm
- Series: Basic Line

Code-No. 723065
GTIN 4015613695648

Combi steamer Silversteam2 P-5230DRS

Add on Products

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)

Code-No. 173280
GTIN 4015613773353

GN-container, 2/3GN,D100, Basic Line

CNS



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: Silk matt
- Depth container: 100 mm

Code-No. 723100
GTIN 4015613695655

Core temperature sensor set SST2-D1P



- Set comprises: 1 holder
1 core temperature sensor
- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 80 mm
- Diameter temperature sensor: 3 mm

Code-No. 116109
GTIN 4015613866697

Core temperature sensor set SST2-D4P



- Set comprises: 1 holder
1 core temperature sensor
- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 90 mm
- Diameter temperature sensor: 4 mm

Code-No. 116113
GTIN 4015613877747

Combi steamer Silversteam2 P-5230DRS

Add on Products

Hand shower f. combi steamer



- Water connection: 1/2"
- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Material: Plastic
Metal

Code-No. 116005
GTIN 4015613587189

Pump set f. combi steamer



- Set comprises: 1 plastic canister (5 litres)
1 pump
1 supply hose: canister - pump (150 cm)
1 supply hose: pump - steaming pipe (80 cm)
Installation material
- Material: Plastic
Metal

Code-No. 116011
GTIN 4015613595146

Base unit Silversteam 230

CNS
18/10



- Colour: Silver
- Designed for: 2/3 GN combi-steamers Silversteam2 series
2/3 GN combi-steamers Silversteam series
- Base shelf: Yes
- Height-adjustable feet: No
- Delivery state: Building kit (simple assembly)
- Material: CNS 18/10

Code-No. 115075
GTIN 4015613610641