Bartscher
www.bartscher.com

Combi steamer Silversteam2 10110D





- Up to 10 x 1/1 GN
- Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program



- Rack control - to enable the selection of a program for each shelf

- Cooldown during cooking phase



- Double door glazing, inner door can be opened easily for cleaning

- Vapour extractor is easy to regulate



- Removable support rails

Description

The ideal partner for every kitchen: A Bartscher Silversteam2 combi steamer with ten 1/1 GN inserts. With or without a core temperature sensor, the electronic controls enable the demand-based regulation of all cooking processes. The rack control function allows different foods to be prepared at different times. The Silversteam2 takes a weight off your shoulders and keeps an eye on everything for you.

Features

• Power load:	12.6 kW | 400 V | 50 Hz
• Equipment connection:	3 NAC
• Material cooking chamber:	CNS 18/10
• Format drawers:	1/1 GN 600 x 400 mm
• Type of drawers:	Crosswise
• Number of drawers:	10
• Distance between trays:	74 mm
• Functions:	Steam production by means of direct injection Steam Delta-T cooking Combi-steaming Low temperature cooking Reversing motor direction (fan wheels) Circulating air Cooldown during cooking phase Manual steaming

Continue on the next page

CNS 18/10 · °C 300

Subject to technical modifications and errors.

Code-No. 117740
GTIN 4015613864945

Bartscher
www.bartscher.com

Combi steamer Silversteam2 10110D



- Cooking mode: Manual, One-touch recipe selection, Recipe tuner
- Rack control: Yes
- With cleaning system: No
- Number of cooking programs: 300 pre-installed programs, 300 configurable programs
- Number of cooking phases: 9
- Temperature range: 50 °C to 300 °C
- Temperature control: In 1 °C steps
- Number of fans: 2
- Fan speed: 3 levels
- Time adjustment: 0 to 5999 minutes
- Continuous operation: Yes
- Core temperature sensor connection: Front, bottom
- USB connection: Front, bottom
- Vapour extractor: Yes
- Water connection: 3/4"
- Interior lighting: Yes
- LED display: Steaming, Delta-T cooking, Cooking phases, Core temperature, Fan speed, Program, Temperature, Time
- Control unit: Touch
- Control lamp: -
- Series: Silversteam2
- Operating mode: Electro
- Properties: Rounded cooking chamber, Bearing rails can be detached, Double-winged door pane, LED lighting in door, Socket (500 W) for connection of an extractor hood
- Including: 1 grid 1/1 GN, 1 tray 1/1 GN, 1 water supply hose
- Available on request: -
- Material: CNS 18/10
- Important information: From a water hardness of 5° dH upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Size: W 907 x D 775 x H 1,035 mm
- Weight: 121.9 kg

Subject to technical modifications and errors.

www.bartscher.com

Combi steamer Silversteam2 10110D

Add on Products

Hand shower f. combi steamer



- Water connection: 1/2"
- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Material: Plastic, Metal

Code-No. 116005
GTIN 4015613587189

Condensation hood Silversteam2



- Number of fan motors/exhaust air outputs: 1
- Fan regulation: Toggle, Manual, Stepless
- Motor output: 383 W
- ON/OFF switch: Yes

Code-No. 116119
GTIN 4015613866727

BBQ Gloves 425



Code-No. A500514
GTIN 4015613822433

GN-container, 1/1GN,D100, Basic Line

CNS



- Content: 14 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Series: Basic Line

Code-No. 711100
GTIN 4015613695594

Subject to technical modifications and errors.

Combi steamer Silversteam2 10110D

Add on Products

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Manual cleaning of heavily soiled surfaces
  Grill, oven and combi steamer cleaning (without cleaning system)
  Cookers, extractor hoods, tilting frying pans etc.
- Content: 6 x 1 litre

Code-No. 173278
GTIN 4015613773346

GN container, 1/1, D65

CNS 18/10




- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A121065
GTIN 4016098162755

GN grid 1/1, SS

CNS 18/10




- Series: Top Line
- Norm: EN 631
- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.94 kg

Code-No. A101091
GTIN 4016098175250

Base unit Silversteam2 6040

CNS 18/10



- Number of drawers: 10
- Format drawers: 1/1 GN
  600 x 400 mm
- Type of drawers: Longitudinal
- Height adjustable: 740 mm to 790 mm
- Colour: Silver
- Designed for: 1/1 GN combi-steamers Silversteam2 series

Code-No. 115089
GTIN 4015613877730

Subject to technical modifications and errors.

Combi steamer Silversteam2 10110D

Add on Products

Tray 1/1GN, 20 mm



- Content: 3.5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Surface: Silk matt
- Depth container: 20 mm

Code-No. A101185
GTIN 4015613271729

Core temperature sensor set SST2-D1P



- Set comprises: 1 holder
  1 core temperature sensor
- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 80 mm
- Diameter temperature sensor: 3 mm

Code-No. 116109
GTIN 4015613866697


Perforated tray 600x400-ALB



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100438
GTIN 4015613863504

Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: Yes
- Temperature resistant to: 260 °C


Code-No. 100428
GTIN 4015613734767

Subject to technical modifications and errors.

Combi steamer Silversteam2 10110D

Add on Products

Grill plate EGR60400



• Properties:	Useable on both sides
• Model:	Rectangular 1 side grooved 1 side smooth
• Material:	Cast aluminium Coated
• Important information:	-

Code-No. 100437
GTIN 4015613863481

Smoker-Box 1160



• Model:	With heating coil
• Designed for:	Combined steamer
• Comprising:	Mains adapter Smoker-Box
• Volume:	1.16 litre(s)
• Dimensions Smoker-Box:	W 125 x D 470 x H 75 mm
• Suitable fuel:	Standard smoker materials

Code-No. 117712
GTIN 4015613779195

Cooking basket 110



• Gastronorm:	1/1 GN
• Size basket:	W 490 x D 275 x H 50 mm
• Content:	7 litre(s)
• Material:	Stainless steel
• Important information:	-
• Size:	W 536 x D 326 x H 61 mm
• Weight:	1.1 kg

Code-No. 900300
GTIN 4015613788111

GN-container, 1/1GN,D20, Basic Line



• Content:	3.4 litre(s)
• Stackable:	Yes
• Design:	No perforation
• Reinforced edge:	No
• Surface:	Silk matt
• Depth container:	20 mm
• Series:	Basic Line

Code-No. 711020
GTIN 4015613695556

Subject to technical modifications and errors.

www.bartscher.com

Combi steamer Silversteam2 10110D

Add on Products

Pump set f. combi steamer



- Set comprises: 1 plastic canister (5 litres)
  1 pump
  1 supply hose: canister - pump (150 cm)
  1 supply hose: pump - steaming pipe (80 cm)
  Installation material
- Material: Plastic
  Metal

Code-No. 116011
GTIN 4015613595146

Guiding rails 6040 SST2-10110



- Designed for: 10 x 1/1 GN combi-steamers in the Silvers-team2 series
- Format drawers: 600 x 400 mm
- Distance between trays: 96 mm
- Number of drawers: 8
- Material: CNS 18/10
- Important information: -

Code-No. 117153
GTIN 4015613866680

Extractor hood Silversteam2



- Number of fan motors/exhaust air outputs: 1
- Fan regulation: Toggle
  Manual
  Stepless
- Motor output: 383 W
- ON/OFF switch: Yes

Code-No. 116116
GTIN 4015613866710

GN container, 1/1, D20



- Content: 3.4 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 20 mm

Code-No. A121025
GTIN 4016098166722

Subject to technical modifications and errors.

www.bartscher.com

Combi steamer Silversteam2 10110D

Add on Products

Cooking pergament 1/1 GN



- Order quantity unit: 1 box (500 sheets)
- GN-capable: Yes
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Material: Paper
- Important information: -
- Size: W 530 x D 325 x H 1 mm

Code-No. 150687
GTIN 4015613711423

GN container, 1/1, D200



- Content: 28 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 200 mm

Code-No. A121200
GTIN 4015613271071

Oven gloves 370



- Properties: With flame protection
  With hanger
  Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511
GTIN 4015613735474

Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Perforation: No
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100426
GTIN 4015613734743

Subject to technical modifications and errors.

Combi steamer Silversteam2 10110D

Add on Products

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)

Code-No. 173280
GTIN 4015613773353

Base unit Silversteam 2-110

CNS 18/10



- Number of drawers: 6
- Format drawers: 1/1 GN
- Type of drawers: Longitudinal
- Height adjustable: 400 mm to 450 mm
- Colour: Silver
- Designed for: 1/1 GN combi-steamers Silversteam2 series
  1/1 GN combi-steamers Silversteam series

Code-No. 115071
GTIN 4015613617589

Baking tray 600x400-ALB



- Bakery norm: 600 x 400 mm
- Perforation: No
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100439
GTIN 4015613863511

Core temperature sensor set SST2-D4P



- Set comprises: 1 holder
  1 core temperature sensor
- Designed for: Digital electric combi-steamers from the Silversteam2 series
- Material temperature sensor: Chrome-nickel steel
- Puncture depth: 90 mm
- Diameter temperature sensor: 4 mm

Code-No. 116113
GTIN 4015613877747

Subject to technical modifications and errors.

Combi steamer Silversteam2 10110D

Add on Products

Water filter system K3600L



- Water connection: 3/8"
- Water pressure: 3 bar
- Colour: White
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C

Code-No. 109847
GTIN 4015613743899


Pressure regulator



- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar
- Material: Brass
  Chrome-plated
- Important information: -

Code-No. 533051
GTIN 4015613468617

Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 4 sides, cover
- Silicone coating: No
- Temperature resistant to: 260 °C

Code-No. 100427
GTIN 4015613734750

GN-container, 1/1GN,D65, Basic Line

CNS



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 65 mm
- Series: Basic Line

Code-No. 711065
GTIN 4015613695587

Subject to technical modifications and errors.

Combi steamer Silversteam2 10110D

Add on Products

Grill plate 5300



- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Material: Cast aluminium
- Important information: -
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg

Code-No. 106576
GTIN 4015613660783

Base unit Silversteam 110

CNS 18/10



- Number of drawers: 10
- Format drawers: 1/1 GN
- Type of drawers: Longitudinal
- Height adjustable: 741 mm to 790 mm
- Colour: Silver
- Designed for: 1/1 GN combi-steamers Silversteam2 series
  1/1 GN combi-steamers Silversteam series

Code-No. 115069
GTIN 4015613602486

Subject to technical modifications and errors.