Bartscher
www.bartscher.com

Induction deep fat fryer 8L Plus

Description

The powerful induction technology ensures the ideal temperature setting – at all times. The desired food is fried in a precise process to guarantee top results.

Features

• Heating element in stainless steel:	No
• Heating element:	Induction coil
• Equipment connection:	Pluggable
• Power load:	3,5 kW | 230 V | 50-60 Hz
• Size basket:	W 190 x D 230 x H 145 mm
• Basket content:	5.5 litre(s)
• Grease collection tank:	No
• Series:	-
• Colour:	Silver grey
• Type:	Table-top unit
• Operating mode:	Electric (Induction)
• Number of tanks:	1
• Size basin:	W 238 x D 300 x H 205 mm
• Beaker capacity:	8 litre(s)
• Number of baskets:	1
• Cold zone:	No
• Safety thermostat:	Yes

Continue on the next page

▶ Powerful induction technology for a perfect frying temperature

▶ Container content: 8 litres

▶ Basket volume: 5.5 litres

▶ Grease drain tap

▶ Includes

✓ 1 lid

✓ 1 perforated metal sheet

Subject to technical modifications and errors.

Code-No. 165118

GTIN 4015613742083

Induction deep fat fryer 8L Plus

• Grease release tap:	Yes
• Temperature range:	60 °C to 190 °C
• Control unit:	Toggle
• Control lamp:	Heat up Keeping warm
• ON/OFF switch:	Yes
• Height-adjustable feet:	No
• Properties:	Heating element made of copper
• Including:	1 lid 1 perforate metal sheet
• Material:	Stainless steel
• Important information:	-
• Size:	W 290 x D 590 x H 425 mm
• Weight:	12.5 kg

Induction deep fat fryer 8L Plus

Add on Products

Fryer basket Induction 8L Plus

STAINLESS STEEL

• Size basket:	W 190 x D 230 x H 145 mm
• Content:	5.5 litre(s)
• Material:	Stainless steel
• Important information:	-
• Size:	W 194 x D 475 x H 215 mm
• Weight:	0.81 kg

Code-No. 165122
GTIN 4015613742106

Oil and grease remover F1L

• Order quantity unit:	1 box (6 bottles)
• Designed for:	Wipe-off work surfaces, stainless steel surfaces Tiled walls and floors Highly effective against deposits in coffee cans Machines, appliances
• Content:	6 x 1 litre
• Model:	Liquid

Code-No. 173276
GTIN 4015613773339

Subject to technical modifications and errors.