

Kettle 1,7L



Description

Robust, high-performance kettle for boiling quantities as low as 300 ml. The kettle is removable from the base with the 360° contact connection and is equipped with an automatic boil stop.

Features

- | | |
|-----------------------------|-----------------------|
| • Material lid: | Plastic |
| • Colour: | Silver
Black |
| • Content: | 1.7 litre(s) |
| • Minimum brewing quantity: | 0.3 litre(s) |
| • Temperature range to: | 100 °C |
| • Double-walled: | No |
| • Automatic boil stop: | Yes |
| • Limescale filter: | yes
Can be removed |
| • Filling level display: | Yes |
| • Dry-run protection: | Yes |
| • Carrying handle: | Yes |
| • Length cable: | 71 cm |
| • Control unit: | Electronic
Lever |
| • Control lamp: | In operation |

► Continue on the next page



► Contents: 1.7 litres



► Automatic boil stop



► Limescale filter



► Practical:

- ✓ Kettle removable from the base, wireless
- ✓ 360° contact connection



► Economical:

- ✓ Low minimum boiling quantity: 0.3 litres

Kettle 1,7L

- ON/OFF switch: Yes
- Energy consumption in standby mode: 0 W
- Max. time until switching to standby mode: 0 minute(s)
- Properties:
 - 360° contact connection
 - Covered heating element
 - Kettle removable from the base, wireless
 - Safe carrying handle
- Power load: 2.2 kW | 230 V | 50/60 Hz
- Material:
 - Stainless steel
 - Plastic
- Important information: -
- Size: W 165 x D 210 x H 240 mm
- Weight: 0.96 kg



Kettle 1,7L

Add on Products

Thermal pump can 3L

STAINLESS
STEEL

3 L



- Designed for: Hot drinks
Coffee machines, clear height min. 295 mm
below tap
- Diameter surface: 150 mm
- Pump system: Yes
- Double-walled: Yes
- Temperature loss / hour approx.: 2 °C

Code-No. 150992
GTIN 4015613725499

Thermal pump can 5L

STAINLESS
STEEL

5 L



- Designed for: Hot drinks
Coffee machines, clear height min. 370 mm
below tap
- Diameter surface: 150 mm
- Pump system: Yes
- Double-walled: Yes
- Temperature loss / hour approx.: 1.7 °C

Code-No. 150993
GTIN 4015613725505