

Food service cart 3 x 1/1 GN



Description

Features

• Power load:	2 kW 230 V 50 Hz
• Number of tanks:	1
• Temperature range:	30 °C to 90 °C
• Control unit:	Electronic Toggle
• Protection class:	IPX4
• Basin size, GN format:	3 x 1/1 GN
• Water drain tap:	No
• Control lamp:	Heat up ON/OFF
• Heating zones can be controlled separately:	No
• Temperature control:	Stepless Thermostatic
• Delivery state:	Building kit (simple assembly)
• Swivel casters:	4 swivel casters, 2 with brake
• Depth GN container max.:	200 mm
• Heating type:	Dry heated

► Continue on the next page

Food service cart 3 x 1/1 GN

- ON/OFF switch: Yes
- Thermostat: Yes
- Diameter casters: 125 mm
- Length cable: 3 m
- Connection cable type: Spiral cable
- Wheel buffer: 4 units, plastic
- Double-walled basin: Yes
- Not included in delivery: GN containers
- Material: CNS 18/10
- Important information: -
- Size: W 650 x D 1,200 x H 855 mm
- Weight: 41 kg



Food service cart 3 x 1/1 GN

Add on Products

Oil and grease remover F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Wipe-off work surfaces, stainless steel surfaces
Tiled walls and floors
Highly effective against deposits in coffee cans
Machines, appliances
- Content: 6 x 1 litre
- Model: Liquid

Code-No. 173276
GTIN 4015613773339