


## Wall-mounted hood 700, W1200



▶ Extractor bonnet with 2 filters

### Description

Wall-mounted hood Series 700, 1200 mm, without motor – two CNS filters with grease collection channel, Type A flame-retardant filter, 18 W lighting, IP44. For kitchens with an external extractor system looking for a compact, illuminated hood with a width of 1200 mm without its own motor.

### Features

|                            |                                                                                                                     |
|----------------------------|---------------------------------------------------------------------------------------------------------------------|
| • Operating mode:          | Exhaust air                                                                                                         |
| • Material filter:         | CNS 18/10                                                                                                           |
| • Number of filters:       | 2                                                                                                                   |
| • Flame protection filter: | Type A                                                                                                              |
| • With motor:              | No                                                                                                                  |
| • Lighting:                | yes                                                                                                                 |
| • Lamps (number + watt):   | 1 x 18 W                                                                                                            |
| • Protection class:        | IP44                                                                                                                |
| • Including:               | -                                                                                                                   |
| • Properties:              | Blare-free light installed with grease protection cover<br>Filter carrier with additional grease collection channel |
| • Assembly type:           | Wall                                                                                                                |
| • Available on request:    | Ceiling hood<br>Wall hood series 1100<br>Other sizes                                                                |
| • Power load:              | 0.018 kW   230 V   50-60 Hz                                                                                         |
| • Material:                | CNS 18/10                                                                                                           |

▶ Continue on the next page

## Wall-mounted hood 700, W1200

- Important information: -
- Size: W 1,200 x D 700 x H 450 mm
- Weight: 27 kg



## Wall-mounted hood 700, W1200

### Add on Products

#### Control, steplessly variable



- Designed for: Extractor hoods with 1 phase
- Output control: Manual  
Stepless
- Assembly type: Wall  
Extractor hood
- Protection class: IP54
- Control unit: Toggle

Code-No. 220110  
GTIN 4015613603056