

Gas stove 70060 GB21



Description

Features

• Sub-counter unit type:	Leaf door
• Size base unit:	W 350 x D 600 x H 400 mm
• Oven type:	Gas
• Material cooking chamber:	CNS 18/0
• Oven functions:	Lower heat
• Multifunctional oven:	No
• Oven volume:	126 litre(s)
• Number of drawers:	3
• Distance between trays:	90 mm
• Temperature range:	140 °C to 300 °C
• Size oven:	W 650 x D 565 x H 310 mm
• Gastronorm:	2/1 GN
• Vapour extractor:	Yes
• Oven properties:	Ignition type: Piezo ignition
• Oven connected load:	7,5 kW
• Height adjustable:	850 mm to 900 mm

► Continue on the next page

Gas stove 70060 GB21


- Gas type: Natural gas H (20 mbar)
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
- Gas burner: Two-circle burner
- Ignition type: Manual ignition
- Pilot flame: Yes
- Series: 700
- Type of hobs: Gas
- Number of hobs: 6
- Distribution of hobs: 3 x 6,2 kW, 3 x 8,5 kW
- Size hobs: 330 x 270 mm
- Type: Upright unit
- Operating mode: Gas
- Height-adjustable feet: Yes
- Properties: Cast iron grille
Hobs with removable collection tray
- Including: -
- Power: 51.6 kW
- Material: CNS 18/10
- Important information: -
- Size: W 1,200 x D 700 x H 850 mm
- Weight: 149 kg



Gas stove 70060 GB21

Add on Products

Swivel castors 4S700



- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 100 mm
- Load-bearing capacity max., each: 100 kg
- Material: Plastic
Rubber coated
- Important information: -

Code-No. 285088
GTIN 4015613665986

Support ring for small pots 700



- Important information: -
- Size: W 370 x D 290 x H 22 mm
- Weight: 0.28 kg

Code-No. 285085
GTIN 4015613486659

Frying plate 700-G



- Roasting surface design: Smooth
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 575 x D 375 x H 35 mm
- Weight: 20.4 kg

Code-No. 285083
GTIN 4015613486642

Grill plate 700-R



- Roasting surface design: Ribbed
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 570 x D 370 x H 35 mm
- Weight: 23 kg

Code-No. 285080
GTIN 4015613486635

Gas stove 70060 GB21

Add on Products

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm

Code-No. A500512
GTIN 4015613735481

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511
GTIN 4015613735474

Oven gloves 300



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm

Code-No. A500510
GTIN 4015613735467

Thermometer D3000 KTP

STAINLESS
STEEL



- Control unit: Electronic
- Material temperature sensor: Stainless steel
- Puncture depth: 120 mm
- Diameter temperature sensor: 3.8 mm
- Design: Digital
- Size of display field: W 22 x H 10 mm
- With temperature sensor: Yes

Code-No. 293043
GTIN 4015613664255

Gas stove 70060 GB21

Add on Products

Tray 2/1GN, 20 mm

CNS
18/10



- Content: 6.9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Surface: Silk matt
- Depth container: 20 mm

Code-No. A101181
GTIN 4015613271699

Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm

Code-No. A500513
GTIN 4015613735498

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)

Code-No. 173280
GTIN 4015613773353

Tray 2/1GN, 65 mm

CNS
18/10



- Content: 18.5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Surface: Silk matt
- Depth container: 65 mm

Code-No. A101183
GTIN 4015613271712

Gas stove 70060 GB21

Add on Products

Tray 2/1GN, 40 mm

CNS
18/10



- Content: 10 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Surface: Silk matt
- Depth container: 40 mm

Code-No. A101182
GTIN 4015613271705