

Tilting frying pan 700 E51LEK



Description

Series 700 tilting frying pan with electric motorised tilting device, 52-litre useful content, stainless steel duplex base, gas operation up to 300 °C, 12.5 kW. Hinged lid, water supply tap. Convenience for commercial kitchens wishing to avoid heavy tilting movements on a daily basis.

Features

• Gas type:	Natural gas H Liquid gas and natural gas L-nozzles are enclosed
• Pilot flame:	No
• Control lamp:	Heat up ON/OFF
• Ignition type:	Piezo ignition
• Protection class:	IPX4
• Power load:	0.25 kW 230 V 50 Hz
• Temperature range:	50 °C to 300 °C
• Content:	60 litre(s)
• Useful content:	52 litre(s)
• Series:	700
• Water connection:	1/2"
• Water supply tap:	Yes
• Material crucible:	Stainless steel Duplex base
• Size crucible:	W 670 x D 400 x H 190 mm

► Continue on the next page

Tilting frying pan 700 E51LEK

- | | |
|---------------------------|---------------------------------------|
| • Tilting device: | Electro-motor |
| • Height-adjustable feet: | Yes |
| • Height adjustable: | 850 mm to 900 mm |
| • Properties: | Hinged lid that can be opened upwards |
| • Operating mode: | Electro / gas |
| • Connected load gas: | 12.5 kW |
| • Material: | CNS 18/10 |
| • Important information: | - |
| • Size: | W 800 x D 700 x H 850 mm |
| • Weight: | 109.4 kg |



Tilting frying pan 700 E51LEK

Add on Products

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)

Code-No. 173280
GTIN 4015613773353

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Manual cleaning of heavily soiled surfaces
Grill, oven and combi steamer cleaning (without cleaning system)
Cookers, extractor hoods, tilting frying pans etc.
- Content: 6 x 1 litre

Code-No. 173278
GTIN 4015613773346