Shelf trolley 7BN60-40

- Transport in Bakery norm 600 x 400 mm
  - ✓ Number of drawers: 7
  - ✓ Distance between trays: 80 mm
  - ✓ Depth container max.: 65 mm



- Carrying capacity:
  - ✓ Total max.: 60 kg
  - ✓ Max. insertion, each: 8 kg

- Quick loading and unloading of the trolley thanks to easy handling

- One container lock each at the front and rear

Description

Optimised for use in the bakery: transport in Bakery norm 600 x 400 is efficient and reliable. The easy-to-operate container lock on both sides ensures that trays and grids are held securely in place.

Features

• Size utility space:	W 470 x D 620 mm
• Load-bearing capacity worktop surface max.:	5 kg
• Number of drawers:	7
• Distance between trays:	80 mm
• Load-bearing capacity per drawer max.:	8 kg
• Depth container max.:	65 mm
• Can be loaded from both sides:	Yes
• Designed for:	Euronorm 600 x 400 mm
• Worktop surface:	yes
• Properties:	One container lock each on the front and rear side. Frame made of square tube 26 x 26 mm
• Not included in delivery:	Containers Sheets Grilles
• Model:	EN/BN trays
• Application area:	Clearing
• Total load-bearing capacity, max.:	60 kg

Continue on the next page

Shelf trolley 7BN60-40

• With handle(s):	No
• Swivel casters:	4 swivel casters, 2 with brake
• Diameter casters:	125 mm
• Wheel buffer:	4 units, plastic
• Delivery state:	Building kit (simple assembly)
• Material:	Stainless steel
• Important information:	-
• Size:	W 535 x D 745 x H 1,000 mm
• Weight:	13.9 kg

Shelf trolley 7BN60-40

Add on Products

Perforated tray 600x400-SI

- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 3 sides
- Silicone coating: Yes
- Temperature resistant to: 260 °C

Code-No. 100416
GTIN 4015613734712

Cover hood 7BN60-40

- Colour: Transparent
- Designed for: Rack trolley 7BN60-40
  Shelf trolley 7GN2/1
- Dimensions of cover hood in use: W 550 x D 700 x H 860 mm
- Model: With 4 zips
- Material thickness: 0.12 mm

Code-No. 300122
GTIN 4015613759210

Perforated tray 600x400-AL

- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 3 sides
- Silicone coating: No
- Temperature resistant to: 260 °C

Code-No. 100413
GTIN 4015613734705

Baking tray 600x400-AL

- Bakery norm: 600 x 400 mm
- Perforation: No
- Material thickness: 1.5 mm
- Edge: 3 sides
- Silicone coating: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100412
GTIN 4015613734699

Subject to technical modifications and errors.

Shelf trolley 7BN60-40

Add on Products

Baking tray 600x400-ALB

- Bakery norm: 600 x 400 mm
- Perforation: No
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100439
GTIN 4015613863511

Perforated tray 600x400-ALB

- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100438
GTIN 4015613863504

Subject to technical modifications and errors.