

Shelf trolley 7BN60-40



- ▶ Transport in Bakery norm 600 x 400 mm
- ✓ Number of drawers: 7
- ✓ Distance between trays: 80 mm
- ✓ Depth container max.: 65 mm



- ▶ Carrying capacity:
 - ✓ Total max.: 60 kg
 - ✓ Max. insertion, each: 8 kg
- ▶ Quick loading and unloading of the trolley thanks to easy handling

Description

Optimised for use in the bakery: transport in Bakery norm 600 x 400 is efficient and reliable. The easy-to-operate container lock on both sides ensures that trays and grids are held securely in place.



- ▶ One container lock each at the front and rear

Features

- Size utility space: W 470 x D 620 mm
- Load-bearing capacity worktop surface max.: 5 kg
- Number of drawers: 7
- Distance between trays: 80 mm
- Load-bearing capacity per drawer max.: 8 kg
- Depth container max.: 65 mm
- Can be loaded from both sides: Yes
- Designed for: Euronorm 600 x 400 mm
- Worktop surface: yes
- Properties: One container lock each on the front and rear side.
- Not included in delivery: Frame made of square tube 26 x 26 mm
- Containers
- Sheets
- Grilles
- Model: EN/BN trays
- Application area: Clearing
- Total load-bearing capacity, max.: 60 kg

▶ Continue on the next page

Shelf trolley 7BN60-40

- With handle(s): No
- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 125 mm
- Wheel buffer: 4 units, plastic
- Delivery state: Building kit (simple assembly)
- Material: Stainless steel
- Important information: -
- Size: W 535 x D 745 x H 1,000 mm
- Weight: 13.9 kg



Shelf trolley 7BN60-40

Add on Products

Perforated tray 600x400-SI



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 3 sides
- Silicone coating: Yes
- Temperature resistant to: 260 °C

Code-No. 100416
GTIN 4015613734712

Cover hood 7BN60-40



- Colour: Transparent
- Designed for: Euronorm trolley AEN700-6040
Rack trolley 7BN60-40
Shelf trolley 7GN2/1
- Dimensions of cover hood in use: W 550 x D 700 x H 860 mm
- Model: With 4 zips
- Material thickness: 0.12 mm

Code-No. 300122
GTIN 4015613759210

Perforated tray 600x400-AL



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 1.5 mm
- Edge: 3 sides
- Silicone coating: No
- Temperature resistant to: 260 °C

Code-No. 100413
GTIN 4015613734705

Baking tray 600x400-AL



- Bakery norm: 600 x 400 mm
- Perforation: No
- Material thickness: 1.5 mm
- Edge: 3 sides
- Silicone coating: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100412
GTIN 4015613734699

Shelf trolley 7BN60-40

Add on Products

Baking tray 600x400-ALB



- Bakery norm: 600 x 400 mm
- Perforation: No
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100439
GTIN 4015613863511

Perforated tray 600x400-ALB



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Perforation: Yes
- Material thickness: 2 mm
- Edge: 4 sides
- Silicone coating: No
- Temperature resistant to: 280 °C

Code-No. 100438
GTIN 4015613863504