

Vacuum packaging machine K 300/60L



- ▶ Combined vacuuming and sealing
- ▶ Manual sealing
- ▶ Marinating



- ▶ Vacuuming intensity can be regulated
- ▶ Sealing duration can be regulated: 3 - 9 seconds



- ▶ Vacuum pump: 60 L/min. (approx. 4 m³/h)
- ▶ Sealing rod length: 300 mm
- ▶ Number of sealing seams: 2
- ▶ A clamp bar in the chamber prevents the vacuuming bag from slipping

Description

Everything under control: The chamber vacuum packaging machine is equipped with a glass lid and a manometer to monitoring underpressure. A clamp bar in the chamber prevents the vacuuming bag from slipping.

Features

• Material lid:	Glass
• Chamber dimensions:	W 305 x D 320 x H 90 mm
• Power load:	0.35 kW 230 V 50 Hz
• Control unit:	Electronic
• Control lamp:	Combined vacuuming and sealing Sealing Marinating ON/OFF Cancel
• Digital display:	Yes
• Lighting:	-
• ON/OFF switch:	Yes
• Colour:	Silver Black
• Number of welded joints:	2
• Length welding rod:	300 mm
• Vacuum pump:	60 L / min. (approx. 4 m ³ / hours)

▶ Continue on the next page

Vacuum packaging machine K 300/60L

- Vacuum control:
 - Vacuuming intensity can be regulated: Time-controlled
 - Including: yes
 - Maximum vacuum: 30 vacuuming bags (280 x 330 mm)
 - Welding duration can be regulated: -900 mbar
 - Properties: 3 - 9 seconds
- Functions:
 - Vacuuming time: 20 - 99 seconds
 - Pressure display via manometer
 - Clip for vacuuming bag
 - Combined vacuuming and sealing
 - Manual sealing
 - Marinating
- Material:
 - Stainless steel
 - Plastic
- Important information:
 -
- Size:
 - W 375 x D 440 x H 271 mm
- Weight:
 - 15.1 kg



Vacuum packaging machine K 300/60L

Add on Products

Vacuum bags K2,5L



- Content: 2.5 litre(s)
- Order quantity unit: 1 pack (100 bags)
- Bag size: 200 x 300 mm
- Film thickness: 90 µM
- Designed for: Chamber vacuuming units
- Design: Smooth
- Sous-Vide suitable: Yes

Code-No. 300312
GTIN 4015613610337

Vacuum bags K1,2L



- Content: 1.2 litre(s)
- Order quantity unit: 1 pack (100 bags)
- Bag size: 160 x 250 mm
- Film thickness: 90 µM
- Designed for: Chamber vacuuming units
- Design: Smooth
- Sous-Vide suitable: Yes

Code-No. 300311
GTIN 4015613610320