

Work table 700, W1800, SB

- ▶ Width: 1,800 mm
- ▶ Total load-bearing capacity, max.: 290 kg
- ▶ With Base shelf



Description

Stainless steel worktop, Series 700, 1800 mm wide, kit with screw-fixing system, 100 mm up-stand. Sound-insulated base plate, prepared for intermediate shelf. Up to 213 kg load capacity. For wide kitchen areas requiring a modular layout and high splash protection.

Features

• Assembly type:	Screw system
• Height-adjustable feet:	Yes
• Available on request:	-
• Height adjustable:	850 mm to 900 mm
• Base shelf:	Yes
• Tilting:	100 mm
• Delivery state:	Building kit (simple assembly)
• Total load-bearing capacity, max.:	290 kg
• Load-bearing capacity worktop, max.:	213 kg
• Load-bearing base shelf, max.:	77 kg
• Height-adjustable base shelf:	No
• Design worktop:	Full-surface
• Design base shelf:	Full-surface
• Properties:	Scotch-Brite sanding
	Setting feet in square tubing 40 x 40 mm
	Prepared boreholes for mounting intermediate shelf
	Preliminary boreholes for mounting an intermediate shelf

▶ Continue on the next page

Work table 700, W1800, SB

- Intermediate shelf:
- Size work surface:
- Material:
- Important information:
- Size:
- Weight:

Available as an option
W 1800 x D 700 mm
CNS 18/10
-
W 1,800 x D 700 x H 850 mm
63.9 kg



Work table 700, W1800, SB

Add on Products

Shelf 700, W1800

CNS
18/10



- Material: CNS 18/10
- Important information: -
- Size: W 1,780 x D 680 x H 40 mm
- Weight: 9.7 kg

Code-No. 310187
GTIN 4015613663807

Oil and grease remover F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Wipe-off work surfaces, stainless steel surfaces
Tiled walls and floors
Highly effective against deposits in coffee cans
Machines, appliances
- Content: 6 x 1 litre
- Model: Liquid

Code-No. 173276
GTIN 4015613773339

Swivel castors 4A for work tables



- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 125 mm
- Load-bearing capacity max., each: 150 kg
- Material: Stainless steel
Rubber
- Important information: -

Code-No. 308243
GTIN 4015613602288