

## Cupboard, W1600, SB, SID, IS



### Description

Work cabinet 1600 mm, 40 mm upstand, sliding doors, height-adjustable intermediate shelves up to 160 kg, stainless steel. Up to 240 kg worktop load capacity. For kitchen lines that combine a wide work surface with splash protection and generous storage space.

### Features

- Load-bearing capacity intermediate shelf, max.: 160 kg
- Tilting: 40 mm
- Load-bearing capacity worktop, max.: 240 kg
- Design inside: 2-partitions
- Size work surface: W 1600 x D 700 mm
- Material work surface: Stainless steel
- Height-adjustable feet: Yes
- Size inside: W 1597 x D 620 x H 580 mm
- Available on request: Special production
- Door hinge side can be changed: No
- Height adjustable: 850 mm to 900 mm
- Delivery state: Permanently mounted
- Type of door: Sliding door(s)
- Design intermediate shelf: Full-surface
- Intermediate shelf: yes
- Height-adjustable immediate shelves: Yes

► Continue on the next page

## Cupboard, W1600, SB, SID, IS

- Properties:
  - 40 mm edges turned down
  - Feet in square tubing 40 x 40 mm
  - Scotch-Brite sanding
- Material:
  - CNS 18/10
- Important information:
  -
- Size:
  - W 1,600 x D 700 x H 850 mm
- Weight:
  - 86.6 kg



## Cupboard, W1600, SB, SID, IS

### Add on Products

#### Swivel castors 4AW



- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 125 mm
- Load-bearing capacity max., each: 150 kg
- Material: Stainless steel  
Rubber
- Important information: -

Code-No. 308242  
GTIN 4015613600307