

Hot cupboard 700, W1000



Description

Warming cabinet Series 700, 1000 mm work surface, two sliding doors, infinitely variable control up to 80 °C, 2 kW. Up to 315 kg shelf load capacity. Fully assembled, stainless steel. Compact warming unit for serving areas, reliably keeping food and plates warm across a 1000 mm width.

Features

• Available on request:	Special production The list price corresponds to the next higher standard dimension
• Height adjustable:	850 mm to 900 mm
• Tilting:	-
• Material work surface:	Stainless steel
• Load-bearing capacity worktop, max.:	315 kg
• Size work surface:	W 1000 x D 700 mm
• Power load:	2 kW 230 V 50/60 Hz
• Height-adjustable feet:	Yes
• Temperature range:	20 °C to 80 °C
• Control unit:	Electronic Toggle
• Size inside:	W 855 x D 620 x H 580 mm
• Control lamp:	yes
• Temperature control:	Stepless
• Delivery state:	Permanently mounted

► Continue on the next page

Hot cupboard 700, W1000

- Type of door: Sliding door(s)
Single-sided
- ON/OFF switch: Yes
- Number of doors: 2
- Number of intermediate shelves: 1
- Load-bearing capacity intermediate shelf, max.: 300 kg
- Design intermediate shelf: Full-surface
- Height-adjustable immediate shelves: No
- Design inside: 2-partitions
- Properties: 40 mm edges turned down
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
CNS 18/10
- Material: -
- Important information: -
- Size: W 1,000 x D 700 x H 850 mm
- Weight: 60.8 kg



Hot cupboard 700, W1000

Add on Products

Swivel castors 4AW



- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 125 mm
- Load-bearing capacity max., each: 150 kg
- Material: Stainless steel
Rubber
- Important information: -

Code-No. 308242
GTIN 4015613600307