

Hot cupboard 700, W1800, SB



Description

Series 700 warming cabinet with 1800 mm worktop, 40 mm tilting upstand and two separate interior compartments. Sliding doors, infinitely variable Temperature control up to 80 °C, 2 kW. Supplied fully assembled. Keeps food and plates evenly warm – for serving in restaurants, hotels and communal catering.

Features

• Available on request:	Special production
• Height adjustable:	The list price corresponds to the next higher standard dimension
• Tilting:	850 mm to 900 mm
• Material work surface:	40 mm
• Load-bearing capacity worktop, max.:	Stainless steel
• Size work surface:	223 kg
• Power load:	W 1800 x D 700 mm
• Height-adjustable feet:	2 kW 230 V 50/60 Hz
• Temperature range:	Yes
• Control unit:	20 °C to 80 °C
	Electronic
	Toggle
• Size inside:	W 1655 x D 620 x H 580 mm
• Control lamp:	yes
• Temperature control:	Stepless
• Delivery state:	Permanently mounted

► Continue on the next page

Hot cupboard 700, W1800, SB

- Type of door: Sliding door(s)
Single-sided
- ON/OFF switch: Yes
- Number of doors: 2
- Number of intermediate shelves: 1
- Load-bearing capacity intermediate shelf, max.: 189 kg
- Design intermediate shelf: Full-surface
- Height-adjustable immediate shelves: No
- Design inside: 2-partitions
- Properties: 40 mm edges turned down
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
CNS 18/10
- Material: -
- Important information: -
- Size: W 1,800 x D 700 x H 850 mm
- Weight: 104.6 kg



Hot cupboard 700, W1800, SB

Add on Products

Swivel castors 4AW



- Swivel casters: 4 swivel casters, 2 with brake
- Diameter casters: 125 mm
- Load-bearing capacity max., each: 150 kg
- Material: Stainless steel
Rubber
- Important information: -

Code-No. 308242
GTIN 4015613600307