

Griddle plate GDP 650E-GR



Description

GDP 650E-GR electric griddle, 650 mm wide, 6 kW, two heating zones – one half smooth, one half grooved. Grease tray, splash guard and 2 cleaning scrapers included. Up to 300 °C. For restaurants that prepare various grilled items simultaneously on a daily basis.

Features

- | | |
|---|--|
| • Heating zones can be controlled separately: | Yes |
| • Power load: | 6 kW 400 V 50 Hz |
| • Equipment connection: | 3 NAC |
| • Control lamp: | Operational |
| • Series: | - |
| • Type: | Table-top unit |
| • Operating mode: | Electro |
| • Material roasting surface: | Steel |
| • Roasting surface design: | 1/2 smooth, 1/2 ribbed |
| • Size heating surface: | W 650 x D 480 mm |
| • Number of heating zones: | 2 |
| • Temperature range: | 50 °C to 300 °C |
| • Safety thermostat: | Yes |
| • Properties: | Grease collection tank
Backsplash welded on |
| • Including: | 2 cleaning scraper |
| • Material: | CNS 18/10 |

► Continue on the next page

Griddle plate GDP 650E-GR

- Important information: -
- Size: W 660 x D 580 x H 310 mm
- Weight: 40 kg



Griddle plate GDP 650E-GR

Add on Products

Grill attachment GDP 320/650E



STAINLESS
STEEL



- Roasting surface design: Smooth
- Material roasting surface: Non-stick film, replaceable
- Size heating surface: W 325 x D 480 mm
- Total height with griddle plate: Closed 490 mm, open 810 mm
- Temperature range: 50 °C to 220 °C
- Power load: 3 kW | 230 V | 50 Hz
- Material: Stainless steel

Code-No. 370100
GTIN 4015613633282