Refr. display unit "Deli Cool I"

Description

Deli-Cool I refrigerated display cabinet, 100 litres, 2–12 °C, black, LED-lit. All-round double glazing with rounded front pane, two shelves, sliding doors at the rear, forced air circulation. Energy efficiency class B. For bakeries and delicatessen areas with compact refrigerated display requirements.

Features

• Size Clipboard top:	W 600 x D 300 mm
• Size Clipboard bottom:	W 600 x D 300 mm
• Size utility space:	W 622 x D 476 mm
• Material surface:	Steel Chrome-plated
• Colour:	Black
• Front pane:	Rounded Framed
• Type of glass:	Double glazing All-round glass
• Safety glass:	No
• Content:	100 litre(s)
• Temperature range:	2 °C to 12 °C
• Temperature control:	Digital
• Cooling:	Circulating air
• Coolant:	R600a / 0,043 kg

Continue on the next page

Refr. display unit "Deli Cool I"

• Climate class:	4 This appliance is intended for use in ambient temperatures up to 30 °C.
• Energy efficiency class:	B (EU No. 2019 / 2018)
• Energy consumption kWh / an:	912
• Insulation:	-
• Drip water evaporation:	Yes
• Automatic defrosting function:	Yes
• Control unit:	Knob
• Digital display:	Yes
• Control lamp:	-
• Interior lighting:	Yes
• Lighting:	LED Can be switched separately
• Type of door:	Sliding door(s)
• Position of the door:	Reverse
• Number of intermediate shelves:	2
• Type of intermediate shelves:	Grille, chrome-plated
• Height-adjustable intermediate shelves:	Yes
• Properties:	-
• Power load:	0.16 kW | 230 V | 50 Hz
• Material:	Plastic Glass
• Important information:	-
• Size:	W 685 x D 455 x H 675 mm
• Weight:	40.3 kg

Refr. display unit "Deli Cool I"

Add on Products

Display tray 17W-150x300

- Colour: White
- Order quantity unit: 5 units
- Temperature range: -40 °C to 70 °C
- Dishwasher-suitable: Yes
- Suitable for use in microwaves: No
- Surface: Smooth
- Material: Melamine

Code-No. 122160
GTIN 4015613825212

Display tray 17W-150x190

- Colour: White
- Order quantity unit: 5 units
- Temperature range: -40 °C to 70 °C
- Dishwasher-suitable: Yes
- Suitable for use in microwaves: No
- Surface: Smooth
- Material: Melamine

Code-No. 122150
GTIN 4015613825199

Display tray 60S-280x420

- Colour: Black
- Order quantity unit: 3 units
- Temperature range: -40 °C to 70 °C
- Dishwasher-suitable: Yes
- Suitable for use in microwaves: No
- Surface: Smooth
- Material: Melamine

Code-No. 122281
GTIN 4015613825380

Display tray 40W-250x350

- Colour: White
- Order quantity unit: 5 units
- Temperature range: -40 °C to 70 °C
- Dishwasher-suitable: Yes
- Suitable for use in microwaves: No
- Surface: Smooth
- Material: Melamine

Code-No. 122250
GTIN 4015613825359

Subject to technical modifications and errors.

Refr. display unit "Deli Cool I"

Add on Products

Display tray 60W-280x420

- Colour: White
- Order quantity unit: 3 units
- Temperature range: -40 °C to 70 °C
- Dishwasher-suitable: Yes
- Suitable for use in microwaves: No
- Surface: Smooth
- Material: Melamine

Code-No. 122280
GTIN 4015613825373

Display tray 17W-240x350

- Colour: White
- Order quantity unit: 5 units
- Temperature range: -40 °C to 70 °C
- Dishwasher-suitable: Yes
- Suitable for use in microwaves: No
- Surface: Smooth
- Material: Melamine

Code-No. 122240
GTIN 4015613825250

Display tray 80W-190x300

- Colour: White
- Order quantity unit: 5 units
- Temperature range: -40 °C to 70 °C
- Dishwasher-suitable: Yes
- Suitable for use in microwaves: No
- Surface: Smooth
- Material: Melamine

Code-No. 122192
GTIN 4015613825427

Display tray 17W-280x420

- Colour: White
- Order quantity unit: 5 units
- Temperature range: -40 °C to 70 °C
- Dishwasher-suitable: Yes
- Suitable for use in microwaves: No
- Surface: Smooth
- Material: Melamine

Code-No. 122180
GTIN 4015613825274

Subject to technical modifications and errors.

Refr. display unit "Deli Cool I"

Add on Products

Display tray 17S-240x350

• Colour:	Black
• Order quantity unit:	5 units
• Temperature range:	-40 °C to 70 °C
• Dishwasher-suitable:	Yes
• Suitable for use in microwaves:	No
• Surface:	Smooth
• Material:	Melamine

Code-No. 122241
GTIN 4015613825267

Subject to technical modifications and errors.