

## Mini cold room 1240L




- ▶ Cold store
  - ✓ Content: 1240 litres
  - ✓ Dimensions: W 855 x D 900 x H 1760 mm



- ▶ Prepared for:
  - ✓ Bearing rails
  - ✓ Grilles
  - ✓ Suspension device
  - ✓ Access ramp

### Description

[ERROR READING XHTML FRAGMENT]



- ▶ Door
  - ✓ With a panic lock
  - ✓ Lockable
  - ✓ Door hinge side can be changed

### Features

- Power load: 0.571 kW | 230 V | 50 Hz
  - Temperature range: 2 °C to 10 °C
  - Temperature control: Digital
  - Control unit: Electronic
  - Content: 1240 litre(s)
  - Size inside: W 820 x D 860 x H 1760 mm
  - Door hinge side can be changed: Yes
  - Control lamp: yes
  - Door hinge side: Right
  - Climate class: 4
  - Cooling: Compressor
  - Coolant: R290 / 0,130 kg
  - Digital display: Yes
  - Interior lighting: No
  - Insulation: Polyurethane, 60 mm
- This appliance is intended for use in ambient temperatures up to 30 °C.

- ▶ Design
  - ✓ Fully assembled

▶ Continue on the next page



## Mini cold room 1240L

- Delivery state: Permanently mounted
- Type of door: Leaf door(s)
- Automatic defrosting function: Yes
- Drip water evaporation: Yes
- ON/OFF switch: Yes
- Lockable: Yes
- Properties: Panic lock
- Ambient temperature: Prepared for bearing rails, grilles, suspension device, access ramp to 30 °C
- Thermostat: Yes
- Not included in delivery: Bearing rails, grilles, suspension device, access ramp
- Material inside: Aluminium
- Material: Stainless steel base
- Important information: Steel plate
- Size: PVC coated
- Weight: -
- Weight: W 980 x D 1,040 x H 2,200 mm
- Weight: 158.2 kg



## Mini cold room 1240L

### Add on Products

#### Support rails

STAINLESS  
STEEL



- Distance between trays: 200 mm
- Set comprises: 4 bearing rails
- Number of drawers: 8
- Material: Stainless steel
- Important information: 4 bearing rails are required for the mini cooling cell
- Size: W 1,500 x D 40 x H 25 mm

Code-No. 700593  
GTIN 4015613680019

#### Suspension attachment

STAINLESS  
STEEL



- Set comprises: 2 bearing rails  
1 suspended tube (can be adjusted horizontally in 5 positions)
- Load-bearing capacity max.: 150 kg
- Size tube: Ø 30 mm | Length: 830 mm
- Length bearing rail: 850 mm
- Clearance from floor: 1700 mm

Code-No. 700595  
GTIN 4015613630397

#### Loading ramp

STAINLESS  
STEEL



- Load-bearing capacity max.: 130 kg
- Material: Stainless steel
- Important information: -
- Size: W 850 x D 195 x H 35 mm
- Weight: 1.6 kg

Code-No. 700597  
GTIN 4015613630410

#### Thermometer A500



- Design: Analogue
- Size of display field: Ø 45 mm
- With temperature sensor: No
- Designed for: Room temperature measurements  
Refrigerators / upright freezers  
Temperature monitoring during transport and storage


Code-No. 292049  
GTIN 4015613664286

## Mini cold room 1240L

### Add on Products

#### Thermometer A250

STAINLESS  
STEEL



- Design: Analogue
- Size of display field: W 98 x H 28 mm
- With temperature sensor: No
- Designed for: Refrigerators / upright freezers  
Temperature monitoring during transport and storage

Code-No. 292043  
GTIN 4015613664279

#### Infrared thermometer D5500



- Design: Digital
- Size of display field: W 24 x H 23 mm
- With temperature sensor: No
- Designed for: Surface temperature measurements (infrared)  
Temperature monitoring during transport and storage

Code-No. 292059  
GTIN 4015613885797

#### Thermometer A300

STAINLESS  
STEEL



- Design: Analogue
- Size of display field: Ø 45 mm
- With temperature sensor: No
- Designed for: Room temperature measurements  
Refrigerators / upright freezers  
Temperature monitoring during transport and storage

Code-No. 292048  
GTIN 4015613664262