

Combination fridge/freezer KTK820



► Content: 820 litres



► Useful content: 778 litres



- Features:
- ✓ Interior lighting
 - ✓ Double-glazed doors
 - ✓ Heating device to prevent condensation

Description

[ERROR READING XHTML FRAGMENT]

Features

- | | |
|--------------------------|-----------------------------------|
| • Front pane: | Framed |
| • Type of glass: | Double glazing |
| • Safety glass: | No |
| • Material: | Steel, painted |
| • Important information: | - |
| • Colour: | Black |
| • Material inside: | Plastic, white |
| • Content: | 820 litre(s) |
| • Useful content: | 778 litre(s) |
| • Temperature range: | 0 °C to 10 °C
-18 °C to -22 °C |
| • Temperature control: | In 1 °C steps |
| • Cooling: | Compressor
Circulating air |
| • Coolant: | R290 / 0,080 kg |
| • Climate class: | 3 |
- This appliance is intended for use in ambient temperatures up to 25 °C and therefore is not suitable for use in hot professional kitchens.

► Continue on the next page



- 4 clipboards per compartment
- ✓ Dimensions: W 500 x D 485 mm
- Left cooling | right deep cooling

Combination fridge/freezer KTK820


- Ambient temperature: 16 °C to 25 °C
- Energy efficiency class: D (EU No. 2019 / 2018)
- Energy consumption kWh / an: 6570
- Insulation: Cyclopentan 60 mm
- Drip water evaporation: Yes
- Automatic defrosting function: Yes
- Control unit: Electronic
- Digital display: Yes
- Thermostat: Yes
- Control lamp: -
- ON/OFF switch: No
- Interior lighting: Yes
- Number of intermediate shelves: 8
- Type of intermediate shelves: Grate, painted
- Dimensions of intermediate shelves: W 500 x D 485 mm
- Height-adjustable intermediate shelves: Yes
- Distance between trays: 15 mm
- Number of doors: 2
- Type of door: Leaf door, glass
- Lockable: Yes
- Door hinge side: Left / right
- Door hinge side can be changed: No
- Height-adjustable feet: No
- Properties: Fridge on left | Freezer on right
4 swivel casters, 2 with brake
LED lighting, separately switchable
Heating unit to prevent condensation
- Power load: 1 kW | 230 V | 50 Hz
- Estimated delivery time from our warehouse in Salzkotten, Germany is week: 32 / 2026
- Size: W 1,220 x D 805 x H 2,020 mm
- Weight: 201 kg



Combination fridge/freezer KTK820

Add on Products

Insert grate 820L




- Load-bearing capacity max.: 25 kg
- Material: Steel
Plastic coated
- Important information: Colour white
- Size: W 503 x D 483 x H 27 mm
- Weight: 2 kg

Code-No.

GTIN 4015613865492

Thermometer A250

STAINLESS
STEEL



- Design: Analogue
- Size of display field: W 98 x H 28 mm
- With temperature sensor: No
- Designed for: Refrigerators / upright freezers
Temperature monitoring during transport and storage

Code-No. 292043

GTIN 4015613664279

Thermometer A500



- Design: Analogue
- Size of display field: Ø 45 mm
- With temperature sensor: No
- Designed for: Room temperature measurements
Refrigerators / upright freezers
Temperature monitoring during transport and storage

Code-No. 292049

GTIN 4015613664286