

## Combination fridge/freezer KTK1-122



### Description

Combination of refrigerator and freezer in an all-black elegant design. Glass door allow a direct view of the food, which can be illuminated perfectly with the LED lighting that can be separately switched.

### Features

- Front pane: Framed
  - Type of glass: Double glazing
  - Safety glass: No
  - Material: Steel, painted
  - Important information: -
  - Colour: Black
  - Material inside: Plastic, black
  - Useful content: 430 litre(s)
  - Temperature range: 0 °C to 10 °C  
-18 °C to -22 °C
  - Temperature control: In 1 °C steps
  - Cooling: Compressor  
Circulating air
  - Coolant: R290 / 0,100 kg
  - Climate class: 3
- This appliance is intended for use in ambient temperatures up to 25 °C and therefore is not suitable for use in hot professional kitchens.
- Ambient temperature: 16 °C to 25 °C

► Continue on the next page



► Usable volume: 430 litres



► 2 intermediate shelves in each cooling compartment

✓ Dimensions: W 565 x D 475 mm

► Fridge at top | Freezer on bottom



► Digital display

► LED lighting, separately switchable



► 4 swivel casters

✓ 2 with brakes

► Energy efficiency class: C

## Combination fridge/freezer KTK1-122

- Energy efficiency class: C (EU No. 2019 / 2018)
- Energy consumption kWh / an: 3650
- Insulation: Cyclopentan 60 mm
- Drip water evaporation: Yes
- Automatic defrosting function: Yes
- Control unit: Electronic
- Digital display: Yes
- Thermostat: Yes
- Control lamp: -
- ON/OFF switch: No
- Interior lighting: Yes
- Number of intermediate shelves: 4
- Type of intermediate shelves: Grate, painted
- Dimensions of intermediate shelves: W 565 x D 475 mm
- Height-adjustable intermediate shelves: Yes
- Distance between trays: 15 mm
- Number of doors: 2
- Type of door: Leaf door, glass
- Lockable: No
- Door hinge side: Right
- Door hinge side can be changed: No
- Height-adjustable feet: No
- Properties: Fridge at top | Freezer at bottom  
4 swivel casters, 2 with brake  
LED lighting, separately switchable  
Heating unit to prevent condensation
- Power load: 0.767 kW | 230 V | 50 Hz
- Size: W 700 x D 780 x H 2,000 mm
- Weight: 121.4 kg



## Combination fridge/freezer KTK1-122

### Add on Products

#### Thermometer A250


STAINLESS  
STEEL



- Design: Analogue
- Size of display field: W 98 x H 28 mm
- With temperature sensor: No
- Designed for: Refrigerators / upright freezers  
Temperature monitoring during transport and storage

Code-No. 292043  
GTIN 4015613664279

#### Insert grate KTK1-122



- Load-bearing capacity max.: 25 kg
- Material: Steel  
Plastic coated
- Important information: Colour black
- Size: W 565 x D 472 x H 37 mm
- Weight: 2.1 kg

Code-No.  
GTIN 4015613865508

#### Thermometer A500



- Design: Analogue
- Size of display field: Ø 45 mm
- With temperature sensor: No
- Designed for: Room temperature measurements  
Refrigerators / upright freezers  
Temperature monitoring during transport and storage

Code-No. 292049  
GTIN 4015613664286