

Convection oven, universal



Description

Hot air multi-purpose oven, 4 crosswise shelves, up to 250 °C, 2.5 kW, Timer up to 120 minutes – ready to plug in. Heats up in approx. 6 minutes, fan-assisted function for even heat distribution. Includes baking tray and rack. For smaller baking stations in restaurants, hotels and catering businesses.

Features

• Material cooking chamber:	Stainless steel
• Colour:	Silver grey
• Size inside:	W 404 x D 308 x H 254 mm
• Type of drawers:	Crosswise
• Number of drawers:	4
• Distance between trays:	55 mm
• Functions:	Circulating air
• Temperature range:	50 °C to 250 °C
• Temperature control:	Thermostatic
	Stepless
	5 levels
• Heat-up time:	approx. 6 minutes (163 °C)
• Timer:	Yes
• Time adjustment:	0 to 120 minutes
• Control unit:	Electronic
• LED display:	-
• Thermostat:	Yes

► Continue on the next page

Convection oven, universal

- Control lamp:
 - ON/OFF switch:
 - Interior lighting:
 - Water connection:
 - Properties:
 - Including:
 - Power load:
 - Equipment connection:
 - Material:
 - Important information:
 - Size:
 - Weight:
- Heat up
No
No
-
Pluggable
1 tray
1 grid
2.5 kW | 230 V | 50/60 Hz
Pluggable
Stainless steel
-
W 530 x D 495 x H 320 mm
17.5 kg



Convection oven, universal

Add on Products

Baking tray for A120880



- Important information: -
- Size: W 400 x D 280 x H 11 mm
- Weight: 0.3 kg

Code-No. A120702
GTIN 4015613404127


Toast tongs 100



- Material: Stainless steel
- Important information: -
- Size: W 101 x D 340 x H 70 mm
- Weight: 0.24 kg

Code-No. A151301
GTIN 4015613753119

Oven grid for A120880



- Important information: -
- Size: W 400 x D 290 x H 20 mm
- Weight: 0.55 kg

Code-No. A120701
GTIN 4015613404110

Wall-mounting shelf 520x400mm, SS



- Size utility space: W 520 x D 400 mm
- Load-bearing capacity max.: 40 kg
- Material: CNS 18/10
- Important information: -
- Size: W 520 x D 400 x H 150 mm
- Weight: 3.4 kg

Code-No. 174520
GTIN 4015613431963